



# SHRI GURUDATT SUGARS LTD; Takaliwadi

ADD. : Gat No. 61/A, Akiwat Takaliwadi Road, Takaliwadi. Tal. : Shirol, Dist. : Kolhapur (MH) Pin Code : 416 10

PHONE. : +91 231 2686086 | FAX : +91 231 2686000 | WEBSITE : www.sgsl.co.in | Email : gslsugars@gmail.com

SGSL/ENVI/ 459/2024 -2025

Date – October 8, 2024

To,  
The Regional Officer,  
Ministry of Environment, Forest & Climate Change,  
Regional office (WCZ), Ground Floor, East Wing,  
New Secretariat Building, Civil Lines, Nagpur.  
Tel No. 0712 – 2531318  
Email: [moefregionalofficenagpur@gmail.com](mailto:moefregionalofficenagpur@gmail.com)

Sub: Six Monthly (April 2024 to September 2024) Compliance Report of Environmental Clearance issued by MoEF & CC, New Delhi.

Ref: Your Letter No. J - 11011/41/2015-IA-II (I) Date - 07.06.2019.

Dear Sir,

With reference to the abovementioned subject and your reference cited above. Please find enclosed herewith Six monthly (From April 2024 to September 2024) Compliance Report of Environmental Clearance issued by MoEF & CC, New Delhi vide letter no. J - 11011/41/2015-IA-II (I) Date - 07.06.2019.

We do hope that you will find the above information satisfactory. However, if you require additional information /clarification in this regard, kindly write back, so that we shall submit the information at the earliest.


Thanking You

Yours Faithfully,

FOR, SHRI GURUDATT SUGARS LTD.,

  
CHIEF EXECUTIVE OFFICER

Enclosed – Compliance Report

-  C.C to: 1. The Regional officer, MPC Board, Kolhapur.  
2. The Sub - Regional officer, MPC Board, Kolhapur.

<p align="center"><b>SHRI GURUDATT SUGARS LTD.,</b>  <b>Gat No. 61/A, Akiwat - Takaliwadi Road , Takaliwadi - 416108, Taluka - Shirol, Dist - Kolhapur,</b>  <b>Maharashtra</b></p>		
<p align="center"><b>Compliance of Conditions Stipulated in environmental clearance granted to expansion of Sugar Plant (From 6000 TCD to 13000 TCD ), Co-generation Power Plant (From 21 MW to 90 MW), Distillery 150 KLPD &amp; Refine Sugar 1755 TCD by MoEF &amp; CC, New Delhi vide letter No. J - 11011/41/2015-IA-II (I) Date - 07/06/2019</b></p>		
EC No -	J - 11011/41/2015-IA-II (I) Date - 07/06/2019	<b>OCTOBER 2024</b>
SR. NO.	EC Condition	Compliances
<p align="center"><b>A) Terms And Condition</b></p>		
1	Prior approval shall be obtained from PESO for site and layout plan of storage facilities (Petroleum Storage Class A installation).	PA agreed to comply with.
2	Necessary permission as mandated under the water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, shall be obtained from the State Pollution Control Board as required.	MPCB was granted for NIPL Consent to Operate for Distillery of having Cap. 225 KLPD (150 KLPD to 225 KLPD) Valid up to 31/08/2024. Applied for Renewal Consent to Operate for capacity 225 KLPD and Cogen 5.5 MW by UAN NO. MPCB-CONSENT-0000208675 DATE 09.05.2024.
3	As already committed by the project proponent. Zero Liquid Discharge shall be ensured and no waste / treated water shall be discharged outside the premises.	The effluent of 1200 m <sup>3</sup> /day from distillery will be sent to Biodigestor (9500 m <sup>3</sup> x 02 Nos) + MEE + Incineration Boiler of Cap. 22 TPH & DRYER Mechanism. The plant will be based on Zero Liquid discharge system.
4	Necessary authorization required under the Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016 shall be obtained and the provision contained in the Rules shall be strictly adhered to.	PA agreed to comply with.
5	To control source and the fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and/or the NAAQS. The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.	Air pollution control system: ESP Stack Diameter: 4.1 m Stack Height: 82 m. - Now, We have installed of Distillery Cap. 150 KLPD with Incineration Boiler of Cap. 22 TPH of Stack Height 82 mtr. X Dia 4.1 mtr
6	Coal less than 0.5% sulphur content shall be used as fuel in boiler.	PA agreed to comply with.

7	Total fresh water requirement shall not exceed 760 cum/day proposed to be met from Krishna River. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard.	Ours is the first Sugar factory in Maharashtra, wherein, we run the entire industrial activity with treated and recycled condensates, which is accrued from cane and no fresh water is utilized, for sugar factory operation. We have installed Condensate Polishing Unit (C.P.U) for sugar factory excess condensate water treatment and recycled purpose. <b>Annexure.</b> Sugar 6000 TCD:738 m3/day [ Source - cane Water] Cogeneration 21 MW: 667.25 m3/day [Source - CPU Treated water], And Distillery 150 KLPD : 520 m3/day [Source - Krishna River water]
8	Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm and the solvent transfer through pumps.	PA agreed to comply with.
9	Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TEDF.	PA agreed to comply with.
10	The company shall strictly comply with the rules and guidelines under Manufacture, storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.	PA agreed to comply with.
11	The company shall undertake waste minimization measures as below.	
	Metering and control of quantities of active ingredients to minimize waste.	PA agreed to comply with.
	Reuse of by-products from there process as raw materials or as raw material substitutes in other processes.	PA agreed to comply with.
	Use of automated filling to minimize spillage.	PA agreed to comply with.
	Use of Close Feed system into batch reactors.	PA agreed to comply with.
	Venting equipment through vapor recovery system.	PA agreed to comply with.
	Use of high pressure hoses for equipment cleaning to reduce wastewater generation.	PA agreed to comply with.
12	The green belt of 5-10 m width shall be developed in more than 33% of the total project area mainly along the plant periphery, in downward wind direction, and along road sides etc. Selection of the plant species shall be as per the CPCB guidelines in consultation with the State Forest Department.	We have already planted 9750 Nos of tree as site

13	All the commitments made regarding issues raised during the public Hearing/Consultation meeting shall be satisfactorily implemented.	PA agreed to comply with.
14	At least 0.75% of the total project cost shall be allocated for Corporate Environment Responsibility (CER) and item-wise details along with time bound action plan shall be prepared and submitted to the Ministry's Regional Office.	PA agreed to comply with.
15	For the DG sets, emission limits and the stack height shall be in conformity with the extant regulations and the CPCB guidelines. Acoustic enclosure shall be provided to DG set for controlling the noise pollution	PA agreed to comply with.
16	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms.	PA agreed to comply with.
17	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	PA agreed to comply with.
18	There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places.	PA agreed to comply with.
19	Storage of raw material shall be done either in silos or covered area to prevent dust pollution and other fugitive emissions.	PA agreed to comply with.
20	Continuous online (24 x 7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.	We have installed online monitoring system for incineration Boiler stack and flow meter with WEBCAM for Con. Spent wash storage lagoon.
21	CO2 generated from the process shall be bottled/made solid ice sold to authorized vendors.	PA agreed to comply with.
22	There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places.	PA agreed to comply with.

<b>General Conditions</b>		
1	The project authorities must strictly adhere to the stipulation made by the State Pollution Control Board (SPCB), State Government and /or any other statutory authority.	PA agreed to comply with.
2	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	PA agreed to comply with.
3	The location of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations each is installed in the upwind and downwind direction as well as where maximum ground level concentration are anticipated.	Complied. Ambient air quality monitoring is being carried out at three (03) location within the plant. PA submitted that the locations were decided in consultation with MPCB. As per the monitoring data, the ambient air quality levels found to be within prescribed limits.
4	The National Ambient Air Quality Emission Standard issued by the Ministry vide G.S.R. No. 826€ dated 16th November, 2009 shall be complied with.	Complied. Ambient air quality monitoring is being carried out at three (03) location within the plant. PA submitted that the locations were decided in consultation with MPCB. As per the monitoring data, the ambient air quality levels found to be within prescribed limits.
5	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	Complied. Acoustic enclosures have been provided. Green belt has been developed around the plant area. As per the monitoring data, the noise levels found to be within stipulated limits. The copy is enclosed as <b>Annexure 4</b> .
6	The company shall harvest rainwater from the roof tops of the buildings to recharge ground water, and to utilize the same for different industrial operations within the plant.	Complied. Roof top harvesting has been provided for the sugar godowns. Two collection pits of capacities 2100 cu.m. and 1600 cu.m. have been provided for the storage of rain water.
7	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis.	Complied. Personnel protective equipment has been provided to workers. The report are enclosed as <b>Annexure</b> .

8	<p>The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, risk mitigation measures and public hearing shall be implemented.</p>	<p>Electrostatics Precipitator (E.S.P) with a stack of height 82 m will provide for Incineration boiler in Distillery of Cap. 150 KLPD on 'C' Molasses. Also we will provide Effluent treatment plant (Condensate Polishing Unit). Treated effluent will use in the makeup of distillery cooling towers as well fermentation purpose. Green belt has been provided. Environmental quality monitoring is being carried out. CSR works are being undertaken. Vermi composting is being carried out with the waste generated in the cane yard. Compost is being supplied to the farmers.</p>
9	<p>The company shall undertake all measures for improving socio-economic conditions of the surrounding area. CSR activities shall be undertaken by involving local villagers, administration and other stake holders. Also eco-developmental measures shall be undertaken for overall improvement for environment.</p>	<p>Complied</p>
10	<p>The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and climate change as well as the State Government along with the implementation schedule for all the condition stipulated herein. The funds do earmarked for environment management / pollution control measures shall not be diverted for any other purpose.</p>	<p>Complied. As per the details provided, PA earmarked an amount of 26 cores towards capital expenditure and Rs. 6.30 cores towards recurring expenditure for environmental protection measures.</p>
11	<p>A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad / Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestion / representations, if any, were received while processing the proposal.</p>	<p>Copy of the environmental clearance submitted to Zilla Parishad, Kolhapur and Gram Panchayat, Takaliwadi on 14.06.2019, The copy is enclosed as <b>Annexure.</b></p>
12	<p>The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including result of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF &amp; CC, the respective Zonal office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.</p>	<p>Complied. However same has been uploaded to the company website.</p>

14	<p>The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF &amp; CC by e-mail.</p>	<p>Complied. Environment statement for the FY 2023-24 submitted to MPCB vide letter dated 12.04.2024, however the same was uploaded to the company website.</p>
15	<p>The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB / Committee and may also be seen at Website of the Ministry at <a href="http://moef.nic.in">http://moef.nic.in</a>. This shall be advertised within seven days from the date of issue of the clearance letter, atleast in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.</p>	<p>Advertisement regarding to grant of EC was made on 15.06.2019. The copy is enclosed as <b>Annexure 7</b>.</p>
16	<p>The Ministry reserve the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.</p>	<p>PA agreed to comply with.</p>
17	<p>The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules, 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules.</p>	<p>PA agreed to comply with.</p>

**WATER BALANCE –SHRI GURUDATT SUGARS LTD.**

	Water Source	Qty Available (m <sup>3</sup> /day)	UTILIZATION	Qty Required (m <sup>3</sup> /day)	Condensate Qty Used (m <sup>3</sup> /day)	Raw Water Requirement (m <sup>3</sup> /day)
<b>SUGAR, CO-GEN. AND DISTILLERY IN OPERATION</b>						
<b>Number of Days 160</b>	Sugar Condensate	3120	1. Fermenter Makeup	841	841	-
			2. Cooling Tower Makeup (Co-Gen)	720	720	-
			3. Other Uses ( Sugar)	471	471	-
			4. Advanced WTP (Co-Gen)	432	432	-
			5. Distillation Column	240	240	-
			6. Boiler makeup( Distillery)	72	72	-
	Distillery Condensate & Spentleese	1500	1. Cooling Tower make-up (Dist.)	1080	1080	-
			2. Vacuum pump sealing (Dist.)	120	120	-
			3. Fermenter Makeup	300	300	
	Fresh Water		1. Domestic	30	-	30
			<b>Net Raw Water Requirement</b>			<b>30</b>
			<b>FRESH WATER REQUIREMENT PER YEAR - CUM</b>			<b>4800</b>



**WATER BALANCE –SHRI GURUDATT SUGARS LTD.**

	Water Source	Qty Available (m <sup>3</sup> /day)	UTILIZATION	Qty Required (m <sup>3</sup> /day)	Condensate Qty Used (m <sup>3</sup> /day)	Raw Water Requirement (m <sup>3</sup> /day)
<b>CO-GEN. AND DISTILLERY IN OPERATION</b>						
<b>Number of Days</b> <b>72</b>	Fresh Water	2320	1. Fermenter Makeup	841		841
			2. Cooling Tower Makeup (Co-Gen)	720		720
			3. Advanced WTP (Co-Gen)	432		432
			4. Distillation Column	240		240
			5. Boiler makeup( Distillery)	72		72
						-
	Distillery Condensate & Spentleese	1500	1. Cooling Tower make-up (Dist.)	1080	1080	-
			2. Vacuum pump sealing (Dist.)	120	120	-
			3. Fermenter Makeup	300	300	
	Fresh Water		1. Domestic	15	-	15
				<b>Net Fresh Water Requirement</b>		
			<b>FRESH WATER REQUIREMENT PER YEAR - CUM</b>			<b>167040</b>

<b>WATER BALANCE –SHRI GURUDATT SUGARS LTD.</b>						
	<b>Water Source</b>	<b>Qty Available (m<sup>3</sup>/day)</b>	<b>UTILIZATION</b>	<b>Qty Required (m<sup>3</sup>/day)</b>	<b>Condensate Qty Used (m<sup>3</sup>/day)</b>	<b>Raw Water Requirement (m<sup>3</sup>/day)</b>
<b>DISTILLERY IN OPERATION</b>						
<b>Number of Days</b> <b>68</b>	Fresh Water	1163	1. Fermenter Makeup	841		841
			2. Distillation Column	240		240
			3. Boiler makeup( Distillery)	72		72
	Distillery Condensate & Spentleese	1500	1. Cooling Tower make-up (Dist.)	1080	1080	-
			2. Vacuum pump sealing (Dist.)	120	120	-
			3. Fermenter Makeup	300	300	
	Fresh Water		1. Domestic	10	-	10
			<b>Net Fresh Water Requirement</b>			<b>1163</b>
			<b>FRESH WATER REQUIREMENT PER YEAR - CUM</b>			<b>79084</b>
	<b>GRAND TOTAL REQUIREMENT OF FRESH WATER PER YEAR</b>				<b>CUM</b>	<b>250924</b>
	<b>PERMISSION FOR FRESH WATER LIFTING PER YEAR</b>				<b>CUM</b>	<b>254000</b>



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)  
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.  
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

### AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/23-24/15943
Dated	: 24/01/2024
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

### RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	18/01/2024		
02	TEST LOCATION		Near Factory Main Gate		
03	TIME OF SAMPLING	Hrs	09:00-17:00		
04	TEMPERATURE (Max./Min)	Deg C	28/24		
05	RELATIVE HUMIDITY	% RH	63		
06	SAMPLING DURATION	Hrs	8		
07	PM10	µg/m <sup>3</sup>	74.00	≤100	IS 5182(part 23),2006
08	PM <sub>2.5</sub>	µg/m <sup>3</sup>	34.00	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO <sub>2</sub>	µg/m <sup>3</sup>	7.20	≤80	IS 5182(part 2),2001, RA 2006
10	NO <sub>2</sub>	µg/m <sup>3</sup>	26.80	≤80	IS 5182(part 6),2006

#### Calibrations details: -

Sr. No.	Instrument Name	Serial / Identification No.	Certificate No.	Last Calibrated on	Due Date
1	AFDS-GSES/ADS-01	RDS/FM-01	TECH/CAL/2023/04.C/14	20/04/2023	19/04/2024
2	HVS-GSES/HVS-01	RDS/UM-01	TECH/CAL/2023/04.C/1/2	20/04/2023	19/04/2024

NAAQS – National Ambient Air Quality Standards (2009)

*M. N. Aggarwal*  
For HORIZON SERVICES



#### DISCLAIMER:

- Sample will be retained only for 15 days.
- Above results indicate to the parameters mentioned only.
- Liability limited till issue of test reports only.
- The test report shall not be produced for any legal identity or advertised without permission of lab.
- The effect of results relate only to the item tested.



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)  
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.  
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

### AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/23-24/15944
Dated	: 24/01/2024
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

### RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	18/01/2024		
02	TEST LOCATION		Near Weigh Bridge		
03	TIME OF SAMPLING	Hrs	09:15-17:15		
04	TEMPERATURE (Max./Min)	Deg C	28/24		
05	RELATIVE HUMIDITY	% RH	63		
06	SAMPLING DURATION	Hrs	8		
07	PM <sub>10</sub>	µg/m <sup>3</sup>	86.00	≤100	IS 5182(part 23),2006
08	PM <sub>2.5</sub>	µg/m <sup>3</sup>	57.00	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO <sub>2</sub>	µg/m <sup>3</sup>	8.10	≤80	IS 5182(part 2),2001, RA 2006
10	NO <sub>2</sub>	µg/m <sup>3</sup>	30.40	≤80	IS 5182(part 6),2006

#### Calibrations details: -

Sr. No.	Instrument Name	Serial / Identification No.	Certificate No.	Last Calibrated on	Due Date
1	AFDS-GSES/ADS-02	RDS/FM-02	TECH/CAL/2023/04.C/15	20/04/2023	19/04/2024
2	HVS-GSES/HVS-02	RDS/UM-02	TECH/CAL/2023/04.C/3/4	20/04/2023	19/04/2024

NAAQS – National Ambient Air Quality Standards (2009)  
BDL- Below detectable level

*Manoj Kumar*  
For HORIZON SERVICES



#### DISCLAIMER:

- Sample will be retained only for 15 days.
- Above results indicate to the parameters mentioned only.
- Liability limited till issue of test reports only.
- The test report shall not be produced for any legal identity or advertised without permission of lab.
- The effect of results relate only to the item tested.



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)  
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.  
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

### AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

Report No.	: HS/REP/23-24/15945
Dated	: 24/01/2024
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

### RESULTS

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	18/01/2024		
02	TEST LOCATION		Near ETP		
03	TIME OF SAMPLING	Hrs	09:30-17:30		
04	TEMPERATURE (Max./Min)	Deg C	28/24		
05	RELATIVE HUMIDITY	% RH	63		
06	SAMPLING DURATION	Hrs	8		
07	PM <sub>10</sub>	µg/m <sup>3</sup>	64.00	≤100	IS 5182(part 23),2006
08	PM <sub>2.5</sub>	µg/m <sup>3</sup>	31.00	≤60	CPCB Guidelines Volume – I Pg. No.15
09	SO <sub>2</sub>	µg/m <sup>3</sup>	6.60	≤80	IS 5182(part 2),2001, RA 2006
10	NO <sub>2</sub>	µg/m <sup>3</sup>	26.20	≤80	IS 5182(part 6),2006

#### Calibrations details: -

Sr. No.	Instrument Name	Serial / Identification No.	Certificate No.	Last Calibrated on	Due Date
1	AFDS-GSES/ADS-03	RDS/FM-03	TECH/CAL/2023/04.C/16	20/04/2023	19/04/2024
2	HVS-GSES/HVS-03	RDS/UM-03	TECH/CAL/2023/04.C/5/6	20/04/2023	19/04/2024

NAAQS – National Ambient Air Quality Standards (2009)  
BDL- Below detectable level

*M. N. A. G. S. R. A.*  
For HORIZON SERVICES



#### DISCLAIMER:

- Sample will be retained only for 15 days.
- Above results indicate to the parameters mentioned only.
- Liability limited till issue of test reports only.
- The test report shall not be produced for any legal identity or advertised without permission of lab.
- The effect of results relate only to the item tested.



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)  
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.  
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

### STACK EMISSION MONITORING REPORT

Report No.	: HS/REP/23-24/15946
Dated	: 24/01/2024
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

### RESULTS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	Methods Used
01	DATE OF SAMPLING	DD/MM/YY	18/01/2024		
02	TEST LOCATION		Boiler 1 & 2 (Capacity-70 MT/Hr & 40 MT/Hr)		
03	TIME OF SAMPLING (00.00)	Hrs	10:00		
04	MATERIAL OF STACK		--		
05	STACK HEIGHT (AGL)	Mtr	65		
06	TYPE OF FUEL USED	--	Baggase		
07	FUEL CONSUMPTION	MT/Hr	55		
08	TYPE OF STACK		Round		
09	FLUE GAS TEMPERATURE	Deg C	151		
10	VELOCITY	M/Sec	7.70		
11	DIAMETER OF STACK	M	3.43		
12	GAS VOLUME	Nm <sup>3</sup> /Hr	180512.33		
13	PM	mg/Nm <sup>3</sup>	75.01	As per Consent	IS 11255 (Part 1)
14	SO <sub>2</sub>	Kg/Day	98.00	As per Consent	IS 11255 (Part 2)

#### Calibrations details: -

Sr. No.	Instrument Name	Serial / Identification No.	Certificate No.	Last Calibrated on	Due Date
1	GSES/SMK-01	SMK/IT-01	TECH/CAL/2023/04.C/7/8/9/10	20/04/2023	19/04/2024

*M. N. Algaonkar*  
For HORIZON SERVICES



#### DISCLAIMER:

- Sample will be retained only for 15 days.
- Above results indicate to the parameters mentioned only.
- Liability limited till issue of test reports only.
- The test report shall not be produced for any legal identity or advertised without permission of lab.
- The effect of results relate only to the item tested.



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)  
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.  
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

### STACK EMISSION MONITORING REPORT

Report No.	: HS/REP/23-24/15947
Dated	: 24/01/2024
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES

### RESULTS

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	Methods Used
01	DATE OF SAMPLING	DD/MM/YY	18/01/2024		
02	TEST LOCATION		Incinerator Boiler		
03	TIME OF SAMPLING (00.00)	Hrs	10:30		
04	MATERIAL OF STACK		--		
05	STACK HEIGHT	Mtr	82		
06	TYPE OF FUEL USED	--	Coal & Con. Spent Wash		
07	TYPE OF STACK		Round		
08	FLUE GAS TEMPERATURE	Deg C	191		
09	VELOCITY	M/Sec	8.78		
10	DIAMETER OF STACK	M	4.43		
11	GAS VOLUME	Nm <sup>3</sup> /Hr	312331.38		
12	PM	mg/Nm <sup>3</sup>	66.90	150	IS 11255 (Part 1)
13	SO <sub>2</sub>	Kg/Day	112.10	500	IS 11255 (Part 2)

Calibrations details: -

Sr. No.	Instrument Name	Serial / Identification No.	Certificate No.	Last Calibrated on	Due Date
1	GSES/SMK-01	SMK/IT-01	TECH/CAL/2023/04.C/7/8/9/10	20/04/2023	19/04/2024

*kmn aegdekar*  
For HORIZON SERVICES



DISCLAIMER:

- Sample will be retained only for 15 days.
- Above results indicate to the parameters mentioned only.
- Liability limited till issue of test reports only.
- The test report shall not be produced for any legal identity or advertised without permission of lab.
- The effect of results relate only to the item tested.



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)  
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.  
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

### AMBIENT NOISE LEVEL MONITORING REPORT

Report No.	: HS/REP/23-24/15948
Dated	: 24/01/2024
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES
Date of Sampling	: 18/01/2024

### RESULTS

SR. NO.	TEST LOCATION	UNIT	DAY TIME		NIGHT TIME	
			Time	Readings	Time	Readings
01	Near Main Gate	dB (A)	11:00 hrs.	71.0	22:10 hrs.	66.2
02	Near Boiler	dB (A)	11:05 hrs.	69.4	22:15 hrs.	66.7
03	Near ETP Area	dB (A)	11:10 hrs.	67.9	22:20 hrs.	63.4
04	Near Sugar Godown	dB (A)	11:15 hrs.	72.0	22:25 hrs.	68.7
05	Near Laboratory	dB (A)	11:20 hrs.	73.3	22:30 hrs.	67.5
06	Near Mill House	dB (A)	11: 25 hrs.	72.9	23:35 hrs.	68.5
07	Near Pan Section	dB (A)	11:30 hrs.	73.0	23:40 hrs.	68.7
08	Near Sugar Plant	dB (A)	11:35 hrs.	72.7	23:45 hrs.	68.0
09	Near Weigh Bridge	dB (A)	11:40 hrs.	70.7	23:50 hrs.	66.4
10	Near Centrifugal	dB (A)	11:45 hrs.	72.0	23:55 hrs.	68.8

#### Calibrations details: -

Sr. No	Instrument Name	Serial / Identification No.	Certificate No.	Last Calibrated on	Due date
1	GSES/DB-01 Make- Mextech, MODEL NO.-4201	GE/DB-01	TECH/CAL/2023/04.C/11	20/04/2023	19/04/2024

#### Limits:

≤75 dB (A) For Day Time  
≤70 dB (A) For Night Time

#### REMARK/OBSERVATIONS:

Noise levels limits are given as per Noise Pollution (Regulation & Control) Rules 2010.

*M. V. A. G. K. A.*  
For HORIZON SERVICES



#### DISCLAIMER:

- Sample will be retained only for 15 days.
- Above results indicate to the parameters mentioned only.
- Liability limited till issue of test reports only.
- The test report shall not be produced for any legal identity or advertised without permission of lab.
- The effect of results relate only to the item tested.





Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)  
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.  
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

### WORKZONE NOISE LEVEL MONITORING REPORT

Report No.	: HS/REP/23-24/15949
Dated	: 24/01/2024
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES
Date of Sampling	: 18/01/2024

### RESULTS

SR. NO.	TEST LOCATION	UNIT	DAY TIME	
			Time	Readings
01	Boiler House	dB (A)	13:00 hrs.	85.1
02	Laboratory	dB (A)	13:10 hrs.	74.2
03	Mill House	dB (A)	13:15 hrs.	88.5
04	Pan Section	dB (A)	13:20 hrs.	87.4
05	Sugar Godown	dB (A)	13:25 hrs.	79.9
06	WTP	dB (A)	13:30 hrs	77.3
07	ETP	dB (A)	13:35 hrs	78.6
08	Weigh Bridge	dB (A)	13:40 hrs	88.9
09	Centrifugal	dB (A)	13:45 hrs	83.6

Calibrations details: -

Sr. No	Instrument Name	Serial / Identification No.	Certificate No.	Last Calibrated on	Due date
1	GSES/DB-01 Make- Mextech, MODEL NO.-4201	GE/DB-01	TECH/CAL/2023/04.C/11	20/04/2023	19/04/2024

Limits:

In plant 90 dB (A)

### REMARKS/OBSERVATIONS:

Limits are given as per Maharashtra Factories Rules 1963 Schedule XXIV for 8 Hrs.

*M. N. G. G. G.*  
For HORIZON SERVICES



### DISCLAIMER:

- Sample will be retained only for 15 days.
- Above results indicate to the parameters mentioned only.
- Liability limited till issue of test reports only.
- The test report shall not be produced for any legal identity or advertised without permission of lab.
- The effect of results relate only to the item tested.



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)  
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.  
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

### ILLUMINATION MONITORING REPORT

Report No.	: HS/REP/23-24/15950
Dated	: 24/01/2024
Client	: M/S SHRI GURUDATT SUGARS LTD., TAKALIWADI
Site	: GAT NO.61/A, AKIWAT TAKALIWADI ROAD, TAKALIWADI, TAL-SHIROL, DIST-KOLHAPUR, PIN- 416108.
Sample Collected by	: M/S. GREENSAFE ENVIRO SERVICES
Date of Sampling	: 18/01/2024

### RESULTS

SR. NO.	DESCRIPTION OF PARAMETERS	UNIT	RESULT	MINIMUM LUX LEVEL REQUIRED
	<b>TEST LOCATIONS</b>			
01	Boiler House	Lux	940	300
02	Laboratory	Lux	789	450
03	Mill House	Lux	948	200
04	Pan Section	Lux	898	500
05	Sugar Godown	Lux	787	500
06	Office	Lux	980	300
07	Near Main Gate	Lux	790	200
08	Store	Lux	462	100
09	WTP	Lux	810	500
10	Laboratory (WTP)	Lux	764	450

Calibrations details: -

Sr. No	Instrument Name	Serial / Identification No.	Certificate No.	Last Calibrated on	Due date
1	LUX METER, GSES-LX-01 MAKE-Mextexh	LX-01	TECH/CAL/2023/04. C/12	20/04/2023	19/04/2024

*M. N. G. K. K.*  
For HORIZON SERVICES



**DISCLAIMER:**

- Sample will be retained only for 15 days.
- Above results indicate to the parameters mentioned only.
- Liability limited till issue of test reports only.
- The test report shall not be produced for any legal identity or advertised without permission of lab.
- The effect of results relate only to the item tested.



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)  
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.  
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

### ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/15978A-1
M/s Shri Gurudatt Sugars Ltd., (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	24/01/2024
	LAB REFERENCE NO.	HS/LAB/WA/1418A
	SAMPLING DATE	18/01/2024
	SAMPLE RECEIPT DATE	19/01/2024

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Industrial Waste Water	M/s. Greensafe Enviro Services	Untreated	ETP

### RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	TEST METHOD
1	pH	---	4.40	APHA 24 <sup>th</sup> Ed 2023, 4500-H <sup>+</sup> B
2	Total Suspended Solids	mg/lit	360.00	APHA 24 <sup>th</sup> Ed 2023, 2540 D
3	Total Dissolved Solids	mg/lit	2478.00	APHA 24 <sup>th</sup> Ed 2023, 2540 C
4	Chemical Oxygen Demand	mg/lit	3860.00	APHA 24 <sup>th</sup> Ed 2023, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	1840.00	IS-3025 (Part 44) R-2023
6	Chlorides as Cl <sup>-</sup>	mg/lit	490.00	APHA 24 <sup>th</sup> Ed 2023, 4500 Cl <sup>-</sup> B
7	Sulphates as SO <sub>4</sub> --	mg/lit	762.00	APHA 24 <sup>th</sup> Ed 2023, 4500 SO <sub>4</sub> E
8	Oil & Grease	mg/lit	24.00	APHA 24 <sup>th</sup> Ed 2023, 5520 B



For HORIZON SERVICES

*Munagalkar*  
(LAB INCHARGE)

#### DISCLAIMER:

- Sample will be retained only for 15 days.
- Above results indicate to the parameters mentioned only.
- Liability limited till issue of test reports only.
- The test report shall not be produced for any legal identity or advertised without permission of lab.
- The effect of results relate only to the item tested.



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)  
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

### ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/15978A-2
M/s Shri Gurudatt Sugars Ltd., (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	24/01/2024
	LAB REFERENCE NO.	HS/LAB/WA/1418A
	SAMPLING DATE	18/01/2024
	SAMPLE RECEIPT DATE	19/01/2024

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Industrial Waste Water	M/s. Greensafe Enviro Services	Treated	ETP

### RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	MPCB LIMITS	TEST METHOD
1	pH	---	7.10	5.5-9.0	APHA 24 <sup>th</sup> Ed 2023, 4500-H+B
2	Total Suspended Solids	mg/lit	68.00	< 100.00	APHA 24 <sup>th</sup> Ed 2023, 2540 D
3	Total Dissolved Solids	mg/lit	1604.00	< 2100.00	APHA 24 <sup>th</sup> Ed 2023, 2540 C
4	Chemical Oxygen Demand	mg/lit	164.00	< 250.00	APHA 24 <sup>th</sup> Ed 2023, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	54.00	< 100.00	IS-3025 (Part 44) R-2023
6	Chlorides as Cl <sup>-</sup>	mg/lit	304.00	< 600.00	APHA 24 <sup>th</sup> Ed 2023, 4500 Cl-B
7	Sulphates as SO <sub>4</sub> <sup>--</sup>	mg/lit	570.00	< 1000.00	APHA 24 <sup>th</sup> Ed 2023, 4500 SO <sub>4</sub> E
8	Oil & Grease	mg/lit	< 5.00	< 10.00	APHA 24 <sup>th</sup> Ed 2023, 5520 B



For HORIZON SERVICES

*Munag Deka*  
(LAB INCHARGE)

**DISCLAIMER:**

- Sample will be retained only for 15 days.
- Above results indicate to the parameters mentioned only.
- Liability limited till issue of test reports only.
- The test report shall not be produced for any legal identity or advertised without permission of lab.
- The effect of results relate only to the item tested.



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.  
• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

## ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/17755A-1
M/s Shri Gurudatt Sugars Ltd., (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	24/02/2024
	LAB REFERENCE NO.	HS/LAB/WA/1435A
	SAMPLING DATE	19/02/2024
	SAMPLE RECEIPT DATE	20/02/2024

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Industrial Waste Water	M/s. Greensafe Enviro Services	Untreated	ETP

## RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	TEST METHOD
1	pH	---	4.60	APHA 24 <sup>th</sup> Ed 2023, 4500-H <sup>+</sup> B
2	Total Suspended Solids	mg/lit	410.00	APHA 24 <sup>th</sup> Ed 2023, 2540 D
3	Total Dissolved Solids	mg/lit	2490.00	APHA 24 <sup>th</sup> Ed 2023, 2540 C
4	Chemical Oxygen Demand	mg/lit	3894.00	APHA 24 <sup>th</sup> Ed 2023, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	2049.40	IS-3025 (Part 44) R-2023
6	Chlorides as Cl <sup>-</sup>	mg/lit	496.00	APHA 24 <sup>th</sup> Ed 2023, 4500 Cl <sup>-</sup> B
7	Sulphates as SO <sub>4</sub> <sup>--</sup>	mg/lit	784.00	APHA 24 <sup>th</sup> Ed 2023, 4500 SO <sub>4</sub> E
8	Oil & Grease	mg/lit	28.00	APHA 24 <sup>th</sup> Ed 2023, 5520 B



For HORIZON SERVICES

*M. N. Angolkar*

(LAB INCHARGE)



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.  
• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

## ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/17755A-2
M/s Shri Gurudatt Sugars Ltd., (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	24/02/2024
	LAB REFERENCE NO.	HS/LAB/WA/1435A
	SAMPLING DATE	19/02/2024
	SAMPLE RECEIPT DATE	20/02/2024

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Industrial Waste Water	M/s. Greensafe Enviro Services	Treated	ETP

## RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	MPCB LIMITS	TEST METHOD
1	pH	---	6.56	5.5-9.0	APHA 24 <sup>th</sup> Ed 2023, 4500-H <sup>+</sup> B
2	Total Suspended Solids	mg/lit	53.90	< 100.00	APHA 24 <sup>th</sup> Ed 2023, 2540 D
3	Total Dissolved Solids	mg/lit	1978.00	< 2100.00	APHA 24 <sup>th</sup> Ed 2023, 2540 C
4	Chemical Oxygen Demand	mg/lit	86.20	< 250.00	APHA 24 <sup>th</sup> Ed 2023, 5220 C
5	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	42.30	< 100.00	IS-3025 (Part 44) R-2023
6	Chlorides as Cl <sup>-</sup>	mg/lit	128.00	< 600.00	APHA 24 <sup>th</sup> Ed 2023, 4500 Cl <sup>-</sup> B
7	Sulphates as SO <sub>4</sub> <sup>--</sup>	mg/lit	310.00	< 1000.00	APHA 24 <sup>th</sup> Ed 2023, 4500 SO <sub>4</sub> E
8	Oil & Grease	mg/lit	5.00	< 10.00	APHA 24 <sup>th</sup> Ed 2023, 5520 B



For **HORIZON SERVICES**

*Manojkumar*

**(LAB INCHARGE)**



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.  
• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

## ANALYSIS REPORT

F/LAB/04/01/17.12.2012

<b>CLIENT'S NAME &amp; ADDRESS</b>	<b>REPORT NO</b>	HS/LAB/WA/17755A-3
<b>M/s.Shri Gurudatt Sugars Ltd., (Takaliwadi)</b> Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist –Kolhapur, Pin- 416108.	<b>REPORT DATE</b>	24/02/2024
	<b>LAB REFERENCE NO</b>	HS/LAB/WA/1435A
	<b>DATE OF SAMPLING</b>	19/02/2024
	<b>DATE OF ANALYSIS</b>	20/02/2024

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Well Water Sample	M/s. Greensafe Enviro Services	---	Shri Gurupad Borgave

## RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	LIMITS AS PER IS10500: 2012 (RA 2018)	TEST METHOD
01	pH	---	7.17	6.5 – 8.5	APHA 24 <sup>th</sup> Ed 2023, 4500-H <sup>+</sup> B
02	Electric Conductivity	µs/cm	300.00	Not Specified	APHA 24 <sup>th</sup> Ed 2023, 2510 B
03	Colour	Pt/Co	< 5.00	<5.00	APHA 24 <sup>th</sup> Ed 2023, 2120 C
04	Odour	---	Agreeable	Agreeable	IS 3025 (P-5):1983 RA 2022
05	Turbidity	NTU	0.80	<1.00	APHA 24 <sup>th</sup> Ed 2023, 2130 B
06	Total Dissolved Solids	mg/lit	220.00	<500.00	APHA 24 <sup>th</sup> Ed 2023, 2540 C
07	Chemical Oxygen Demand	mg/lit	12.00	Not Specified	APHA 24 <sup>th</sup> Ed 2023, 5220 C
08	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	4.00	Not Specified	IS 3025 (Part 44)- R-2023
09	Chlorides as Cl <sup>-</sup>	mg/lit	28.00	<250.00	APHA 24 <sup>th</sup> Ed 2023, 4500 Cl-B
10	Sulphates as SO <sub>4</sub> --	mg/lit	40.00	<200.00	APHA 24 <sup>th</sup> Ed 2023, 4500 SO <sub>4</sub> E
11	Alkalinity as CaCO <sub>3</sub>	mg/lit	38.00	<200.00	APHA 24 <sup>th</sup> Ed 2023, 2320 B
12	Calcium as Ca	mg/lit	20.00	<75.00	APHA 24 <sup>th</sup> Ed 2023, 3500 Ca B
13	Magnesium as Mg	mg/lit	10.00	<30.00	APHA 24 <sup>th</sup> Ed 2023, 3500 Mg B
14	Total Hardness as CaCO <sub>3</sub>	mg/lit	90.00	<200.00	APHA 24 <sup>th</sup> Ed 2023, 2340 C
15	Iron as Fe	mg/lit	0.18	<0.30	APHA 24 <sup>th</sup> Ed 2023, 3500 Fe B
16	Fluoride as F <sup>-</sup>	mg/lit	0.10	<1.00	APHA 24 <sup>th</sup> Ed 2023, 4500-F <sup>-</sup> D
17	Sodium as Na	mg/lit	2.10	Not Specified	APHA 24 <sup>th</sup> Ed 2023, 3500 Na B

**REMARK:** As per IS 10500: 2012(RA 2018), above water sample is chemically potable for drinking purpose, for the parameters tested.

For **HORIZON SERVICES**



*M. N. Angolkar*

**(LAB INCHARGE)**



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.  
• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

## ANALYSIS REPORT

F/LAB/04/01/17.12.2012

<b>CLIENT'S NAME &amp; ADDRESS</b>	<b>REPORT NO</b>	HS/LAB/WA/17755A-4
<b>M/s Shri Gurudatt Sugars Ltd., (Takaliwadi)</b> Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist –Kolhapur, Pin- 416108.	<b>REPORT DATE</b>	24/02/2024
	<b>LAB REFERENCE NO</b>	HS/LAB/WA/1435A
	<b>DATE OF SAMPLING</b>	19/02/2024
	<b>DATE OF ANALYSIS</b>	20/02/2024

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Soil Sample	M/s. Greensafe Enviro Services	---	Shri Raosaheb Badame

## RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	TEST METHOD
1	pH (10 % Extract)	---	7.22	IS 2720 (Part 26) 1987 RA 2016
2	Chlorides as Cl <sup>-</sup>	mg/kg	172.00	SOP NO: HS/ NABL/ SOIL/27
3	Sulphates as SO <sub>4</sub> <sup>--</sup>	mg/kg	ABSENT	IS 2720 (Part 27)- 2020
4	Total Chromium as Cr	mg/kg	20.00	SOP NO: HS/ NABL/ SOIL/20
5	Total Nitrogen as N	mg/kg	138.00	IS 14684:2019
6	Phosphorus as P	mg/kg	ABSENT	SOP NO: HS/ NABL/ SOIL/08
7	Nickel as Ni	mg/kg	34.00	SOP NO: HS/ NABL/ SOIL/20
8	Cadmium as Cd	mg/kg	0.30	SOP NO: HS/ NABL/ SOIL/20
9	Copper as Cu	mg/kg	38.00	SOP NO: HS/ NABL/ SOIL/26
10	Zinc as Zn	mg/kg	20.00	SOP NO: HS/ NABL/ SOIL/20
11	Total Ammonia as N	mg/kg	ABSENT	Ministry of Agriculture 2011



For **HORIZON SERVICES**

*M. N. Angolkar*

**(LAB INCHARGE)**





Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.  
• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

## ANALYSIS REPORT

F/LAB/04/01/17.12.2012

<b>CLIENT'S NAME &amp; ADDRESS</b> M/s Shri Gurudatt Sugars Ltd., (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	<b>REPORT NO</b>	HS/LAB/WA/17755A-5
	<b>REPORT DATE</b>	24/02/2024
	<b>LAB REFERENCE NO.</b>	HS/LAB/WA/1435A
	<b>SAMPLING DATE</b>	19/02/2024
	<b>SAMPLE RECEIPT DATE</b>	20/02/2024

<b>DETAILS OF SAMPLE</b>	<b>SAMPLE COLLECTED BY</b>	<b>NATURE</b>	<b>LOCATION</b>
Industrial Waste Water	M/s. Greensafe Enviro Services	---	RO Plant

## RESULTS OF ANALYSIS

<b>SR NO</b>	<b>DESCRIPTION</b>	<b>UNIT</b>	<b>RESULT</b>	<b>TEST METHOD</b>
1	pH	---	7.30	APHA 24 <sup>th</sup> Ed 2023, 4500-H <sup>+</sup> B
2	Total Suspended Solids	mg/lit	74.00	APHA 24 <sup>th</sup> Ed 2023, 2540 D
3	Chemical Oxygen Demand	mg/lit	NIL	APHA 24 <sup>th</sup> Ed 2023, 5220 C
4	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	NIL	IS-3025 (Part 44) R-2023



For **HORIZON SERVICES**

*M. N. Agarkar*

**(LAB INCHARGE)**



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.  
• Tel.: 020 - 25460202, 25460203, 25460023, 25460033. • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

## ANALYSIS REPORT

F/LAB/04/01/17.12.2012

<b>CLIENT'S NAME &amp; ADDRESS</b>	<b>REPORT NO</b>	HS/LAB/WA/17755A-6
<b>M/s.Shri Gurudatt Sugars Ltd., (Takaliwadi)</b> Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist –Kolhapur, Pin- 416108.	<b>REPORT DATE</b>	24/02/2024
	<b>LAB REFERENCE NO</b>	HS/LAB/WA/1435A
	<b>DATE OF SAMPLING</b>	19/02/2024
	<b>DATE OF ANALYSIS</b>	20/02/2024

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Well Water Sample	M/s. Greensafe Enviro Services	---	Ramchandra Bedkihale

## RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	LIMITS AS PER IS10500: 2012 (RA 20180)	TEST METHOD
01	pH	---	7.10	6.5 – 8.5	APHA 24 <sup>th</sup> Ed 2023, 4500-H <sup>+</sup> B
02	Electric Conductivity	µs/cm	320.00	Not Specified	APHA 24 <sup>th</sup> Ed 2023, 2510 B
03	Colour	Pt/Co	< 5.00	<5.00	APHA 24 <sup>th</sup> Ed 2023, 2120 C
04	Odour	---	Agreeable	Agreeable	IS 3025 (P-5):1983 RA 2022
05	Turbidity	NTU	0.62	<1.00	APHA 24 <sup>th</sup> Ed 2023, 2130 B
06	Total Dissolved Solids	mg/lit	232.00	<500.00	APHA 24 <sup>th</sup> Ed 2023, 2540 C
07	Chemical Oxygen Demand	mg/lit	8.00	Not Specified	APHA 24 <sup>th</sup> Ed 2023, 5220 C
08	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	2.00	Not Specified	IS 3025 (Part 44)- R-2023
09	Chlorides as Cl <sup>-</sup>	mg/lit	20.00	<250.00	APHA 24 <sup>th</sup> Ed 2023, 4500 Cl-B
10	Sulphates as SO <sub>4</sub> --	mg/lit	30.00	<200.00	APHA 24 <sup>th</sup> Ed 2023, 4500 SO <sub>4</sub> E
11	Alkalinity as CaCO <sub>3</sub>	mg/lit	32.00	<200.00	APHA 24 <sup>th</sup> Ed 2023, 2320 B
12	Calcium as Ca	mg/lit	24.00	<75.00	APHA 24 <sup>th</sup> Ed 2023, 3500 Ca B
13	Magnesium as Mg	mg/lit	12.00	<30.00	APHA 24 <sup>th</sup> Ed 2023, 3500 Mg B
14	Total Hardness as CaCO <sub>3</sub>	mg/lit	108.00	<200.00	APHA 24 <sup>th</sup> Ed 2023, 2340 C
15	Iron as Fe	mg/lit	0.10	<0.30	APHA 24 <sup>th</sup> Ed 2023, 3500 Fe B
16	Fluoride as F <sup>-</sup>	mg/lit	0.10	<1.00	APHA 24 <sup>th</sup> Ed 2023, 4500-F D
17	Sodium as Na	mg/lit	2.14	Not Specified	APHA 24 <sup>th</sup> Ed 2023, 3500 Na B

**REMARK:** As per IS 10500: 2012(RA 2018), above water sample is chemically potable for drinking purpose, for the parameters tested.



*M. N. Angolkar*

**(LAB INCHARGE)**



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)  
 Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.  
 • Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

**ANALYSIS REPORT**

F/LAB/04/01/17.12.2012

<b>CLIENT'S NAME &amp; ADDRESS</b> <b>M/s.Shri Gurudatt Sugars Ltd.,</b> <b>(Takaliwadi)</b> Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	<b>REPORT NO</b>	HS/LAB/WA/15978A-3
	<b>REPORT DATE</b>	24/01/2024
	<b>LAB REFERENCE NO</b>	HS/LAB/WA/1418A
	<b>DATE OF SAMPLING</b>	18/01/2024
	<b>DATE OF ANALYSIS</b>	19/01/2024

<b>DETAILS OF SAMPLE</b>	<b>SAMPLE COLLECTED BY</b>	<b>NATURE</b>	<b>LOCATION</b>
Well Water Sample	M/s. Greensafe Enviro Services	---	Shri Gurupad Borgave

**RESULTS OF ANALYSIS**

SR NO	DESCRIPTION	UNIT	RESULT	LIMITS AS PER IS10500: 2018	TEST METHOD
01	pH	---	7.20	6.5 – 8.5	APHA 24 <sup>th</sup> Ed 2023, 4500-H*B
02	Electric Conductivity	µs/cm	130.00	Not Specified	APHA 24 <sup>th</sup> Ed 2023, 2510 B
03	Colour	Hazen	< 5.00	<5.00	APHA 24 <sup>th</sup> Ed 2023, 2120 C
04	Odour	---	Agreeable	Agreeable	APHA 24 <sup>th</sup> Ed 2023, 2150 B
05	Turbidity	NTU	<1.00	<1.00	APHA 24 <sup>th</sup> Ed 2023, 2130 B
06	Total Dissolved Solids	mg/lit	114.00	<500.00	APHA 24 <sup>th</sup> Ed 2023, 2540 C
07	Chemical Oxygen Demand	mg/lit	4.00	Not Specified	APHA 24 <sup>th</sup> Ed 2023, 5220 C
08	Biochemical Oxygen Demand (27°C for 3 days)	mg/lit	1.00	Not Specified	IS 3025 (Part 44)- R-2023
09	Chlorides as Cl <sup>-</sup>	mg/lit	24.00	<250.00	APHA 24 <sup>th</sup> Ed 2023, 4500 Cl-B
10	Sulphates as SO <sub>4</sub> <sup>--</sup>	mg/lit	46.00	<200.00	APHA 24 <sup>th</sup> Ed 2023, 4500 SO4 E
11	Alkalinity as CaCO <sub>3</sub>	mg/lit	35.00	<200.00	APHA 24 <sup>th</sup> Ed 2023, 2320 B
12	Calcium as Ca	mg/lit	12.00	<75.00	APHA 24 <sup>th</sup> Ed 2023, 3500 Ca B
13	Magnesium as Mg	mg/lit	8.00	<30.00	APHA 24 <sup>th</sup> Ed 2023, 3500 Mg B
14	Total Hardness as CaCO <sub>3</sub>	mg/lit	118.00	<200.00	APHA 24 <sup>th</sup> Ed 2023, 2340 C
15	Iron as Fe	mg/lit	0.20	<0.30	APHA 24 <sup>th</sup> Ed 2023, 3500 Fe B
16	Fluoride as F <sup>-</sup>	mg/lit	<0.10	<1.00	APHA 24 <sup>th</sup> Ed 2023, 4500-F- D
17	Sodium as Na	mg/lit	2.00	Not Specified	APHA 24 <sup>th</sup> Ed 2023, 3500 Na B

**REMARK:** As per IS 10500: 2018, above water sample is chemically potable for drinking purpose, for the parameters tested.



For **HORIZON SERVICES**

*M. N. Gaikwad*  
 (LAB INCHARGE)

**DISCLAIMER:**

- Sample will be retained only for 15 days.
- Above results indicate to the parameters mentioned only.
- Liability limited till issue of test reports only.
- The test report shall not be produced for any legal identity or advertised without permission of lab.
- The effect of results relate only to the item tested.



Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)  
Lab NABL Accredited - Testing - Chemical Field (TC - 7064)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.  
• Mobile : 7249867318, 8378018710 • Tel. : 020 - 25460202 • Email : kmn@hespl.co.in / md@hespl.co.in • www.hespl.co.in

### ANALYSIS REPORT

F/LAB/04/01/17.12.2012

CLIENT'S NAME & ADDRESS	REPORT NO	HS/LAB/WA/15978A-4
M/s Shri Gurudatt Sugars Ltd., (Takaliwadi) Gat No.61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal-Shirol, Dist -Kolhapur, Pin- 416108.	REPORT DATE	24/01/2024
	LAB REFERENCE NO	HS/LAB/WA/1418A
	DATE OF SAMPLING	18/01/2024
	DATE OF ANALYSIS	19/01/2024

DETAILS OF SAMPLE	SAMPLE COLLECTED BY	NATURE	LOCATION
Soil Sample	M/s. Greensafe Enviro Services	---	Shri Raosaheb Badame

### RESULTS OF ANALYSIS

SR NO	DESCRIPTION	UNIT	RESULT	TEST METHOD
1	pH (10 % Extract)	---	7.20	IS 2720 (Part 26) 1987
2	Chlorides as Cl <sup>-</sup>	mg/kg	168.00	SOP No: WI/Lab/Soil/CA/13
3	Sulphates as SO <sub>4</sub> <sup>--</sup>	mg/kg	ABSENT	IS 2720 (Part 27)- 1977 (RA 2010)
4	Total Chromium as Cr	mg/kg	16.00	Ministry of Agriculture 2011
5	Total Nitrogen as N	mg/kg	129.00	IS 14684:1999
6	Phosphorus as P	mg/kg	ABSENT	HS/NABL/SOIL/8
7	Nickel as Ni	mg/kg	26.00	Ministry of Agriculture 2011
8	Cadmium as Cd	mg/kg	0.40	Ministry of Agriculture 2011
9	Copper as Cu	mg/kg	34.00	Ministry of Agriculture 2011
10	Zinc as Zn	mg/kg	26.00	HS/NABL/SOIL/11
11	Total Ammonia as N	mg/kg	ABSENT	Ministry of Agriculture 2011



For HORIZON SERVICES

*M. Nagendra*

(LAB INCHARGE)

#### DISCLAIMER:

- Sample will be retained only for 15 days.
- Above results indicate to the parameters mentioned only.
- Liability limited till issue of test reports only.
- The test report shall not be produced for any legal identity or advertised without permission of lab.
- The effect of results relate only to the item tested.

# Shri Gurudatt Sugars Ltd., Takaliwadi

## Distillery - Online Monitoring System

### A. WEB Camera





**B. Incineration Boiler Online monitoring Photographs**



**D. Incineration Boiler Stack Probe**







# SHRI GURUDATT SUGARS LTD., Takaliwadi

ADD.: Gat No. : 61 / A, Akiwat Takaliwadi Road, Takaliwadi Tal.- Shirol Dist - Kolhapur (MH) Pin Code : 416 108  
PHONE : +91 231 2686086 | FAX : +91 231 2686000 | WEBSITE : www.sgsl.co.in | Email : gslsugars@gmail.com

SGSL/ 18) /2019-2020

Date – June 12,2019

To,  
The Regional Officer,  
Ministry of Environment, Forest & Climate Change,  
Regional office (WCZ), Ground Floor, East Wing,  
New Secretariat Building, Civil Lines, Nagpur.  
Tel No. 0712 – 2531318  
Email: [moefregionalofficenagpur@gmail.com](mailto:moefregionalofficenagpur@gmail.com)

Sub: Submission of Environmental Clearance copy for Shri Gurudatt Sugars Ltd., Gat No. 61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal – Shirol, Dist – Kolhapur, Maharashtra – 416108

Ref: MOEF Letter No. F. No. J-11011/41/2015-IA-II(I) Date – 07.06.2019.

Dear Sir,

With reference to the abovementioned subject, we are submitting here with Environmental Clearance Copy of Sugar 4900 TCD to 13000 TCD, Cogeneration 21 MW to 90 MW, Distillery 150 KLPD & Refine Sugar 1755 TCD at Gat No. 61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal – Shirol, Dist – Kolhapur, Maharashtra – 416108 received from Ministry of Environment, Forest and Climate Change, New Delhi.


This is for your information.

Thanking You

Yours Faithfully,

FOR, SHRI GURUDATT SUGARS LTD.,

  
Executive Director

  
Enclosed – Enclosed above with copy of EC

C.C to: 1. The Regional officer, MPC Board, Kolhapur.  
2. The Sub - Regional officer, MPC Board, Kolhapur.

Received  
13/06/2019  
REGIONAL OFFICE I  
M. P. C. BOARD  
DR. YOG BHAVAN  
3RD FLOOR NEAR COLLECTOR OFFICE  
KOLHAPUR-416008



Regd. No. 25-14367, CIN-UI5424PN2000PLC014367

An ISO 9001 : 2008 Certified Company

# SHRI GURUDATT SUGARS LTD., Takaliwadi

| ADD.: Gat No. : 61 / A, Akiwat Takaliwadi Road, Takaliwadi Tal.- Shirol Dist - Kolhapur (MH) Pin Code : 416 108  
| PHONE : +91 231 2686086 | FAX : +91 231 2686000 | WEBSITE : www.sgsl.co.in | Email : gslsugars@gmail.com

SGSL/ 183 /2019-2020

Date – June 12,2019

To,  
The Chief Executive Officer so,  
Zilha Parishad Office, Nagala Park,  
Kolhapur.

Sub: Submission of Environmental Clearance copy for Shri Gurudatt Sugars Ltd., Gat No. 61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal – Shirol, Dist – Kolhapur, Maharashtra – 416108

Ref: MOEF Letter No. F. No. J-11011/41/2015-IA-II(I) Date – 07.06.2019.

Dear Sir,

With reference to the abovementioned subject, we are submitting here with Environmental Clearance Copy of Sugar 4900 TCD to 13000 TCD, Cogeneration 21 MW to 90 MW, Distillery 150 KLPD & Refine Sugar 1755 TCD at Gat No. 61/A, Akiwat Takaliwadi Road, Takaliwadi, Tal – Shirol, Dist – Kolhapur, Maharashtra – 416108 received from Ministry of Environment, Forest and Climate Change, New Delhi.

This is for your information.

Thanking You

Yours Faithfully,

FOR, SHRI GURUDATT SUGARS LTD.,

Executive Director

Enclosed – Enclosed above with copy of EC

9/8/19  
लेखनिक  
मुख्य कार्यकारी अधिकारी  
जिल्हा परिषद, कोल्हापूर.



Regd. No. 25-14367, CIN-UI5424PN2000PLC014367

An ISO 9001 : 2008 Certified Company

# SHRI GURUDATT SUGARS LTD., Takaliwadi

ADD.: Gat No. : 61 / A, Akiwat Takaliwadi Road, Takaliwadi Tal.- Shirol Dist - Kolhapur (MH) Pin Code : 416 108  
PHONE : +91 231 2686086 | FAX : +91 231 2686000 | WEBSITE : www.sgsl.co.in | Email : gslsugars@gmail.com

SGSL/182/2019-20.

Date - 12/06/2019.

प्रति,  
मा.सरपंच / ग्रामविकास अधिकारी,  
मु.पो.टाकळीवाडी, ता. शिरोळ,  
जि. कोल्हापूर.

**विषय :- इनव्हारमेंटल क्लीअरन्सबाबत (ई.सी) बाबत..**

**संदर्भ :-** पर्यावरण मंत्रालय, नवी दिल्ली यांचे पत्र क्र. F.No.J-११०११/४१/२०१५-IA-II (I)  
दिनांक- ०७.०६.२०१९.

महोदय,

आमचे श्री गुरुदत्त शुगर्स लि., टाकळीवाडी या कारखान्याच्या सध्या असलेल्या गाळप क्षमता ६००० मे.टन. प्रतिदिन ते १३००० मे.टन. प्रतिदिन, सहवीजनिर्मिती प्रकल्प २१ मेगावॉट ते ९० मेगावॉट प्रतिदिन, तसेच नवीन आसवनी प्रकल्प १५० KLPD व शुध्द साखर १७५५ टन प्रतिदिन यांस **Ministry of Environment, Forest and Climate Change, New Delhi** यांचेकडून संदर्भिय पत्रान्वये मान्यता मिळाली आहे. आपल्या माहितीसाठी सविनय सादर.

आपला विश्वासू,

व्यवस्थापकीय संचालक  
श्री गुरुदत्त शुगर्स लि.टाकळीवाडी.

सोबत :- संदर्भिय मंजूरीपत्र जोडत आहे.

प्र.पि.कॉ.सि.  
१२/०६/१९  
ग्रामपंचायत, टाकळीवाडी,  
ता. शिरोळ, जि. कोल्हापूर.

खंडूता पेपर

दिनांक: १४/०६/२०१९

## जाहीर नोटीस

### श्री. गुरुदत्त शुगर्स लिमिटेड, टाकळीवाडी पर्यावरण विषयक अनुमती

श्री. गुरुदत्त शुगर्स लिमिटेड, गट नं ६१/अ, अकिवाट-  
टाकळीवाडी रोड, टाकळीवाडी, ता. शिरोळ, जि. कोल्हापूर,  
४१६१०८ तर्फे कळविण्यात येते की, आमच्या कारखान्यामध्ये  
गाळप क्षमता ६००० TCD ते १३००० TGD,  
सहविजनिर्मिती प्रकल्प २१ MW ते ९० MW, आसवनी  
प्रकल्प १५० KLPD व शुध्द साखर १७५५ टन प्रति दिवस,  
वाढीव व नवीन प्रकल्पास भारत सरकारचे पर्यावरण वनविभाग  
व हवामान बदल मंत्रालय, नवी दिल्ली कडील पत्र संदर्भ  
F.No. J-११०१९/४१/२०१५A-I (I) दिनांक  
०७/०६/२०१९ ने नवीन व विस्तारीकरण प्रकल्पास अनुमती  
मिळाली आहे.

श्री. माधवराव भगवानराव जाटगे  
चेअरमन व कार्यकारी संचालक  
श्री. गुरुदत्त शुगर्स, टाकळीवाडी.

**PUBLIC NOTICE**

**To whomsoever it may concern**

This is to inform to the public that Shri Gurudatt Sugars Ltd., Gat no. 61/A, Akiwat - Takaliwadi Road, Takaliwadi, Tal- Shirol, Dist - Kolhapur - 416 108 Maharashtra has been granted Environmental clearance for their proposed expansion & new project of Sugar Plant 6000 TCD to 13000 TCD, Co-generation 21 MW to 90 MW, distillery 150 KLPD & Refine Sugar 1755 TCD vide letter No. F. No. J-11011/41/2015-IA-II(I) dt. 07-06-2019.

The copy of same can be viewed at website of Ministry of Envirment and Forest and Climate Change of <http://moef.gov.in>

**Shri. Madhavrao B. Ghatage**  
Chairman and Managing Director

**MOME TECHNOLOGY DEVELOPMENT CENTER/ODDCA**

**The Indian EXPRESS** Sun, 16 June 2019  
epaper editions [epaper.indianexpress.com/](http://epaper.indianexpress.com/) 

ft  
F  
E  
C  
E  
li  
P  
V  
fr  
1  
N  
C





# Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

## FORM V

(See Rule 14)

Environmental Audit Report for the financial Year ending the 31st March 2024

### Unique Application Number

MPCB-ENVIRONMENT\_STATEMENT-0000064699

### Submitted Date

12-04-2024

## PART A

### Company Information

#### Company Name

Shri Gurudatt Sugars Ltd.,

#### Application UAN number

MPCB-CONSENT-0000139916

#### Address

Gat No - 61/A, A/p - Takaliwadi

#### Plot no

Gat No 61/A

#### Taluka

Shirol

#### Village

Akiwat -Takaliwadi Road

#### Capital Investment (In lakhs)

28135.00

#### Scale

L.S.I

#### City

Kolhapur

#### Pincode

416108

#### Person Name

Mr Rahul M Ghatage

#### Designation

Executive Directors

#### Telephone Number

7350799494

#### Fax Number

02312686086

#### Email

gslsugars.env@gmail.com

#### Region

SRO-Kolhapur

#### Industry Category

Red

#### Industry Type

R60 Distillery ( molasses / grain /yeast based)

#### Last Environmental statement submitted online

no

#### Consent Number

MPCB-CONSENT-0000139916

#### Consent Issue Date

2023-08-08

#### Consent Valid Upto

2024-08-31

#### Establishment Year

2019

#### Date of last environment statement submitted

Apr 6 2023 12:00:00:000AM

#### Industry Category Primary (STC Code) & Secondary (STC Code)

### Product Information

#### Product Name

RECTIFIED SPIRIT (CAPTIVE)/ DENATURED SPIRIT (CAPTIVE)

#### Consent Quantity

81000

#### Actual Quantity

6083.596

#### UOM

KL/A

EXTRA NEUTRAL ALCOHOL

50220

2773.789

KL/A

IMPURE SPIRIT/TECHNICAL ALCOHOL

5670

323.070

KL/A

FUSEL OIL

4050

102.33

KL/A

Ethanol

76950

35312.02

KL/A

ELECTRICITY

5.5

4.3

Mwh

### By-product Information

#### By Product Name

#### Consent Quantity

#### Actual Quantity

#### UOM

## Part-B (Water & Raw Material Consumption)

### 1) Water Consumption in m3/day

<b>Water Consumption for Process</b>	<b>Consent Quantity in m3/day</b>	<b>Actual Quantity in m3/day</b>
	72.00	69.00
<b>Cooling</b>	1350.00	1260.53
<b>Domestic</b>	1.00	0.80
<b>All others</b>	0.00	0.00
<b>Total</b>	1423.00	1330.33

### 2) Effluent Generation in CMD / MLD

<b>Particulars</b>	<b>Consent Quantity</b>	<b>Actual Quantity</b>	<b>UOM</b>
Daily Quantity of Trade Effluent from the Factory	1200	1032.64	CMD

### 2) Product Wise Process Water Consumption (cubic meter of process water per unit of product)

<b>Name of Products (Production)</b>	<b>During the Previous financial Year</b>	<b>During the current Financial year</b>	<b>UOM</b>
Distillery including Fermentation Industry	1.12	5.32	Ton/Ton
Distillery including Fermentation Industry	0	1.2	Ton/Ton
Distillery including Fermentation Industry	6.81	6.94	Ton/Ton
Distillery including Fermentation Industry	0	0.3	Ton/Ton
Distillery including Fermentation Industry	0	0.01	Ton/Ton
Distillery including Fermentation Industry	3.7	3.71	Mwh

### 3) Raw Material Consumption (Consumption of raw material per unit of product)

<b>Name of Raw Materials</b>	<b>During the Previous financial Year</b>	<b>During the current Financial year</b>	<b>UOM</b>
Molasse	6249.378	38406.36	MT/A
B Heavy Molasses	103804	115154	MT/A
Sugar Cane Juice Syrup	39831	6789	MT/A
Consumable Chemicals (Caustic Soda)	1998	2021	MT/A
Consumable Chemicals (Antifoam)	1398	1492	MT/A

### 4) Fuel Consumption

<b>Fuel Name</b>	<b>Consent quantity</b>	<b>Actual Quantity</b>	<b>UOM</b>
--NA--	141.64	261	CMD
Coal	18000	2175.360	MT/A

## Part-C

### Pollution discharged to environment/unit of output (Parameter as specified in the consent issued)

#### [A] Water

<b>Pollutants Detail</b>	<b>Quantity of Pollutants discharged (kL/day)</b>	<b>Concentration of Pollutants discharged(Mg/Lit) Except PH,Temp,Colour</b>	<b>Percentage of variation from prescribed standards with reasons</b>
--------------------------	---	---	---



	Quantity	Concentration	%variation	Standard	Reason
PH	14.98	0	0	0	0

### [B] Air (Stack)

Pollutants Detail	Quantity of Pollutants discharged (kL/day)	Concentration of Pollutants discharged(Mg/NM3)	Percentage of variation from prescribed standards with reasons	Standard	Reason
	Quantity	Concentration	%variation		
Total Particulate Matter	559.84	34.21	0	0	0

## Part-D

### HAZARDOUS WASTES

#### 1) From Process

Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
5.1 Used or spent oil	38.54	12	Ltr/A

#### 2) From Pollution Control Facilities

Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
5.1 Used or spent oil	38.54	12	Ltr/A

## Part-E

### SOLID WASTES

#### 1) From Process

Non Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
Boiler Ash	5612	3398	MT/A

#### 2) From Pollution Control Facilities

Non Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
Boiler Ash	5612	3398	MT/A

#### 3) Quantity Recycled or Re-utilized within the unit

Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
20.3 Distillation residues	9.17	8.42	MT/A

## Part-F

Please specify the characteristics(in terms of concentration and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

#### 1) Hazardous Waste

Type of Hazardous Waste Generated	Qty of Hazardous Waste	UOM	Concentration of Hazardous Waste
NA	0	Kg/Annum	0

#### 2) Solid Waste

Type of Solid Waste Generated	Qty of Solid Waste	UOM	Concentration of Solid Waste
NA	0	Kg/Annum	0

## Part-G

Impact of the pollution Control measures taken on conservation of natural resources and consequently on the cost of production.

<b>Description</b>	<b>Reduction in Water Consumption (M3/day)</b>	<b>Reduction in Fuel &amp; Solvent Consumption (KL/day)</b>	<b>Reduction in Raw Material (Kg)</b>	<b>Reduction in Power Consumption (KWH)</b>	<b>Capital Investment(in Lacs)</b>	<b>Reduction in Maintenance(in Lacs)</b>
The 100% treated water from E.T.P. is recycled for Distillery Cooling tower and Fermentation make up purpose.	532	148	130	5.29	598	23

## Part-H

### Additional measures/investment proposal for environmental protection abatement of pollution, prevention of pollution.

#### [A] Investment made during the period of Environmental Statement

##### **Detail of measures for Environmental Protection**

Good House Keeping kept in a mfg plant as well as ETP massive tree plantation done on available land.

##### **Environmental Protection Measures**

Tree Plantation (Quantity 500 Nos)

##### **Capital Investment (Lacks)**

2.5

#### [B] Investment Proposed for next Year

##### **Detail of measures for Environmental Protection**

Good House Keeping kept in a mfg plant as well as ETP massive tree plantation done on available land.

##### **Environmental Protection Measures**

Tree Plantation (Quantity 500 Nos)

##### **Capital Investment (Lacks)**

3

## Part-I

### Any other particulars for improving the quality of the environment.

#### Particulars

We have planted about 1000 Nos plants around the Distillery for develop green belt around the premises. We are proposed to plant various type of tree in this year also.

#### Name & Designation

Mr. Uday Patil - Chief Executive Officer

#### UAN No:

MPCB-ENVIRONMENT\_STATEMENT-0000064699

#### Submitted On:

12-04-2024

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437  
Fax: 24023516  
Website: <http://mpcb.gov.in>  
Email: [cac-cell@mpcb.gov.in](mailto:cac-cell@mpcb.gov.in)



Kalpataru Point, 2nd and  
4th floor, Opp. Cine Planet  
Cinema, Near Sion Circle,  
Sion (E), Mumbai-400022

RED/L.S.I (R60)  
No:- Format1.0/CAC/UAN No.MPCB-  
CONSENT-0000170859/CR/2308000522

Date: 08/08/2023

To,  
Shri Gurudatt Sugars Ltd.,  
61/A,Gat No 61/A, Shirol, Kolhapur.



**Sub: Renewal of Consent for 225 KLPD Distillery Unit**

- Ref:**
1. Renewal of consent granted by the Board vide no. Format1.0/CAC/UAN No.MPCB-CONSENT-0000139916/CR/2209001105 Date: 17.09.2022. Valid up to 31.08.2023.
  2. Environmental Clearance vide no. - F. No-J-11011/41/2015-IA-II(I) DTD. 07.06.2019.
  3. MoEFCC Notification dtd. 16.01.2020 & 02.03.2021.
  4. Minutes of CAC Meeting dtd. 07.07.2023.

Your application No.MPCB-CONSENT-0000170859 Dated 14.05.2023

For: Consent to Renewal under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The consent to renewal is granted for a period up to 31/08/2024**
2. **The capital investment of the project is Rs.302.6745 Crs. (As per C.A Certificate submitted by industry 281.35)**
3. **Consent is valid for the manufacture of:**

Sr No	Product	Maximum Quantity	UOM
Products			
1	Rectified Spirit (Captive)/ Denatured Spirit (Captive)	225	KL/D
2	Extra Neutral Alcohol OR	139.5	KL/D
3	Ethanol	213.75	KL/D
4	Impure Spirit /Technical Alcohol	15.75	KL/D
5	Fusel Oil	11.25	KL/D
6	Electricity	5.5	MW

PP shall comply with all the conditions in MoEFCC notification dated 16.01.2020 & 2.03.2021 & distillery capacity shall not exceed to 225 KLPD.

4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

<i>Sr No</i>	<i>Description</i>	<i>Permitted (in CMD)</i>	<i>Standards to</i>	<i>Disposal Path</i>
1.	Trade effluent	1200	As per Schedule-I	Bio-digester, MEE & incineration Boiler to achieve ZLD.
2.	Domestic effluent	0.8	As per Schedule-I	On land for gardening

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

<i>Sr No.</i>	<i>Stack No.</i>	<i>Description of stack / source</i>	<i>Number of Stack</i>	<i>Standards to be achieved</i>
1	1	Incineration boiler (22 TPH)	1	As per Schedule -II

6. **Non-Hazardous Wastes:**

<i>Sr No</i>	<i>Type of Waste</i>	<i>Quantity</i>	<i>UoM</i>	<i>Treatment</i>	<i>Disposal</i>
1	Ash	16	MT/Day	-	Manure
2	Distillery sludge	12	MT/A	Composting	Manure

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:**

<i>Sr No</i>	<i>Category No./ Type</i>	<i>Quantity</i>	<i>UoM</i>	<i>Treatment</i>	<i>Disposal</i>
1	5.1 Used or spent oil	10	Ltr/M	Recycle	Sale to authorized recycler

8. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
  9. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
  10. This consent is issued pursuant to the decision of the Consent Appraisal Committee Meeting held on 30.08.2022.
  11. The applicant shall comply with the conditions of the Environmental Clearance granted vide letter No. F. No-J-11011/41/2015-IA-II(I) DTD. 07.06.2019 and ensure display/upload of six-monthly compliance monitoring report on your official website.
  12. PP shall ensure uninterrupted connectivity of OCEMS to Board server directly through data logger.
  13. PP shall not increase consented Cane Crushing Capacity at any given time for sugar unit.
  14. PP shall comply with all the conditions in MoEFCC notification dated 16.01.2020 & 2.03.2021.
  15. Industry shall submit/extend Bank Guarantee of Rs. 25.0 Lakh towards Compliance of Consent conditions and O&M of Pollution Control System
  16. The applicant shall make an application for renewal of consent 60 days prior to date of expiry of the consent. (Operate/Renewal)
- This consent is issued as per communication letter dated 03/11/2022 which is approved by competent authority of the board.



07642a38  
785a4ae6  
6c0fb813  
bd3c1a8a  
ab25a526  
cd34470e  
fe151c4b  
c22a13d9

**Signed by: Dr J. B. Sangewar**

Joint Director(WPC) & InCharge Of CAC-Cell

For and on behalf of,

**Maharashtra Pollution Control Board**

cac-cell@mpcb.gov.in

2023-08-08 15:36:41 IST

**Received Consent fee of -**

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	605349.00	TXN2305004247	29/05/2023	Online Payment
2	50000.00	TXN2306000649	05/06/2023	Online Payment

**Copy to:**

1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Kolhapur  
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. CC/CAC Desk for record & website updation purposes.



## **SCHEDULE-I**

### **Terms & conditions for compliance of Water Pollution Control:**

#### **1.Conditions for Trade effluent:**

A] As per your application, Spent wash generation after using C-heavy molasses (150 KLPD) is 1200 CMD (after MEE- 300 CMD) and after using B-heavy molasses & syrup (225 KLPD) will be 1325 CMD (after MEE- 270 CMD). For treatment of same you have provided Bio- digester MEE for volume reduction followed by Incineration Boiler for achieving zero discharge. In no case spent wash shall discharge outside the factory premises/ on land / into stream directly or indirectly.

B] Industry shall operate Online Continuous Emission Monitoring System (OCEMS) and shall transmit Online Continuous Emission Monitoring System (OCEMS) data to Board's server directly through the data logger without any intermediate server

#### **2.Conditions for Sewage/ Domestic effluent:**

i. You shall provide sewage treatment plant for the treatment of 0.8 CMD sewage generation due to expansion and provide including disinfection facility.

ii. The industry shall operate sewage treatment system to treat the sewage/ domestic effluent so as to achieve the standards as prescribed by the board/under EP Act, 1986 and rules made thereunder from time to time whichever is stringent.

Sr.No	Parameter	Concentration not to exceed(in mg/l except for pH)
1.	pH	6.5-9.0
2.	BOD	30
3.	TSS	100

iii. The sewage shall be treated by using septic tank and soak pit and overflow if any shall be used on-land for gardening/irrigation.

4. The operation of distillery should be restricted for the days mentioned in EC in a year and take adequate precaution during rainy season.

5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

<b>Sr. No.</b>	<b>Purpose for water consumed</b>	<b>Water consumption quantity (CMD)</b>
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	1.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	1350.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0

Fresh water consumption will be restricted as per EC.

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance.

### SCHEDULE-II

#### **Terms & conditions for compliance of Air Pollution Control:**

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S%	SO <sub>2</sub>
1	Incineration Boiler (22 TPH)	ESP	82	Slope 300 CMD + Coal	50 MT/Day	0.50	500.00

2. Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.
3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm <sup>3</sup>
--------------------	---------------	------------------------

6. Storage of raw materials, coal etc. shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.
7. The industry shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality /fugitive emissions to Regional Office MPCB.
8. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
9. Industry shall provide Online Continuous Emission Monitoring System (OCEMS) i.e. flow meter and night vision camera to ensure the Zero Liquid Discharge (ZLD) of spent wash and OCEMS for Boiler stack for PM parameter.

### SCHEDULE-III

#### **Details of Bank Guarantees:**

Sr. No	Consent (C2E/ C2O /C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to O & R	2500000	submit/extend	Towards O & M of PCS and compliance of consent conditions.	31.08.2024	28.02.2025

### BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

### BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				

### SCHEDULE-IV

#### General Conditions:

1. The Energy source for lighting purpose shall preferably be LED based
2. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
3. Conditions for D.G. Set
  - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - f) D.G. Set shall be operated only in case of power failure.
  - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
4. The applicant shall maintain good housekeeping.
5. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
6. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
7. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding upon you.



8. The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
9. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
10. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.
11. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
12. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
13. You shall operate OCEMS installed for source emission round 'O' clock and transmit data online to CPCB and MPCB server. You shall also monitor effluent quality, stack emissions and ambient air quality monthly/quarterly. You shall conduct Dioxin Furan monitoring by third party NABL Accredited agency once in year and submit report to Sub Regional Officer.
14. You shall ensure collection, and segregation of BMW regularly to treat and dispose Off within 48 hrs from generation.
15. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
16. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
17. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
18. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
19. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport the Bio Medical waste for any other purpose without obtaining prior written permission of the MPC Board.
20. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
21. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
22. The industry should not cause any nuisance in surrounding area.

23. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
24. You shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the facility premises.
25. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
26. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto
27. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
28. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
29. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.
30. The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
31. You should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly. You shall conduct Dioxin Furan monitoring by third party NABL Accredited agency once in every year and submit report to Sub Regional Officer.
32. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
33. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.

34. You shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
35. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
36. You shall create the Environmental Cell by appointing an Environmental Engineer and Chemist for looking after day-to-day activities related to compliance of CCA.
37. You should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 , Bio Medical Waste Management Rules,2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year in Form-IV by 30th June of every year
38. You should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 , Bio Medical Waste Management Rules,2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year in Form-IV by 30th June of every year

---

This certificate is digitally & electronically signed.

---





# Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

## Application for Consent/ Authorisation

Sir,  
I/We hereby apply for\*

- Consent to Establish/Operate/Renewal of consent under section 25 and 26 of the Water (Prevention & Control of Pollution) Act, 1974 as amended.
- Consent to Establish/Operate/Renewal of consent under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981, as amended.
- Authorization/renewal of authorization under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 in connection with my/our/existing/proposed/altered/ additional manufacturing/processing activity from the premises as per the details given below.

### Consent Information

**UAN No:** MPCB-CONSENT-0000201881  
**Application submitted on:** 08-03-2024

### Industry Information

<b>Consent To:</b> Operate	<b>IIN No.:</b>	<b>Submit to:</b> SRO - Kolhapur	
<b>Type of institution:</b> Industry	<b>Industry Type:</b> R60 Distillery ( molasses / grain /yeast based)	<b>Category:</b> Red	<b>Scale:</b> L.S.I
<b>Location of industry/activity/etc:</b> Local Body	<b>Name of Local Body:</b> Grampanchayat Takaliwadi		
<b>EC Reqd.</b> Yes	<b>EC Obtained</b> EC Obtained		
<b>EC Ref. No.</b> EC22A022MH187153	<b>Date of issue of EC</b> Dec 27, 2022	<b>Parivesh Proposal Number</b> EC22A022MH187153	<b>MoEFCC/SEIAA File Number</b> IA-J-11011/368/2022-IA-II(I)
<b>Whether construction-buildup area is more than 20,000 sq.mtr.(Existing Expansion Unit)</b>		No	

### General Information

- Name, designation, office address with Telephone/Fax numbers, e-mail of the Applicant Occupier/Industry/Institution / Local Body.

<b>Name</b> Shri Rahul Madhavrao Ghatage	<b>Address</b> Gat No - 61/A, A/p - Takaliwadi
<b>Designation</b> Executive Director	<b>Taluka</b> Shirol
<b>Area</b> Akiwat -Takaliwadi Road	<b>District</b> Kolhapur

**Telephone**

7350799494

**Fax**

0231-2686000

**Email**

gslsugars.env@gmail.com

**Pan Number**

AAFCS8656L

2. (a) Name and location of the industrial unit/premises for which the application is made (Give revenue Survey Number/Plot number name of Taluka and District, also telephone and fax number)

**Industry name**

Shri Gurudatt Sugars Ltd

**Location of Unit**

Akiwat Takaliwadi Road, Takaliwadi

**Survey number/Plot Number**

Gat 61/A

**Taluka**

Shirol

**District**

Kolhapur

(b) Details of the planning permission obtained from the local body/Town and Country Planning authority/Metropolitan Development authority/ designated Authority.

**Planning permission**

Register of Companies

**Planning Authority**

Ministry of Commerce and Industry

Name of the local body under whose jurisdiction the unit is located and Name of the licence issuing authority

**Name of Local Body**

Takaliwadi Grampanchayat

**Name of the licence issuing authority**

Takaliwadi Grampanchayat

**Sanction plan/ Approved layout Plan/Commencement Certificate**

3. Names,addresses with Telephone and Fax Number of Managing Director / Managing Partner and officer responsible for matters connected with pollution control and/or Hazardous waste disposal.

**Name of Managing Director**

Shri Madhavrao Bhagavanrao Ghatage

**Telephone number**

02312686086

**Fax number**

02312686000

**Officer responsible for day to day business**

Mr Uday Patil

4. (a.) Are you registered Industrial unit ?

No

**Registration number**

77607000

**Date of registration**

Oct 1, 2000

5. Gross capital investment of the unit without depreciation till the date of application (Cost of building, land, plant and machinery). (To be supported by an affidavit/undertaking on Rs.20/- stamp paper, annual report or certificate from a Chartered Accountant for proposed unit(s), give estimated figure)

**Gross capital (in Lakh)**

969.42

**\* Verified**

CA Certificate

**\* Terms**

1

**\* Consent Fee**

25000.00

6. If the site is located near sea-shore/river bank/other water bodies/Highway, Indicate the crow fly distance and the name of the water body, if any.

**Distance From**

SH/NH

**Distance(Km)**

8.00

**\* Name**

Ichalkarnji -Kurundwad Road

River

7.00

Krishna

Human Habitation

0.00

--NA--

Religious Place

0.00

--NA--

Historical Place

0.00

--NA--

Creek/Sea

0.00

--NA--

6b. Enter Latitude and Longitude details of site

Latitude	Longitude
0	0

7. Does the location satisfy the Requirements Under relevant Central/State Govt. Notification such as Coastal Regulation Zone. Notification on Ecologically Fragile Area, Industrial Location policy, etc. If so, give details.

Location	Approved Industry Area	Sensitive Area	If Yes, Name Of Area	Industry Location with Reference to CRZ
NA	No	No	NA	

8. If the site is situated in notified industrial estate,

		Details
(a) Whether effluent collection, treatment and disposal system has been provided by the authority.	No	NA
(b) Will the applicant utilize the system, if provided.	No	NA
(c) If not provided, details of proposed arrangement.	NA	

9.

(a) Total plot area (in square meter)	(b) Built up area and (in square meter)	(c) Area available for the use of treated sewage/ trade effluent for gardening/irrigation. (in square meter)
5000	4000	NA

10. Month and year of commissioning of the Unit.

2024-04-01

11. Number of workers and office staff

Workers	staff	Hrs. of shift	Weekly off
8	5	8	Sunday

12.

(a) Do you have a residential colony Within the premises in respect of Which the present application is Made ?	No	NA		
(b) If yes, please state population staying				
Number of person staying	Water consumption	Sewage generation	Whether is STP provided?	
0	0	0	No	
(c) Indicate its location and distance with reference to plant site.				
Number of person staying	Water consumption			
NA	0			

13. List of products and by-products Manufactured in tonnes/month, Kl/month or numbers/month with their types i.e.Dyes, drugs etc. (Give figures corresponding to maximum installed production capacity)

Products Name and Quantity

Product Name	UOM	Product Name	Existing	Consented	Proposed Revision	Total	Remarks
--------------	-----	--------------	----------	-----------	-------------------	-------	---------

Distillery including Fermentation Industry	MT/Day	Spentwash Powder/Granules	0	192	0	192	NA
--	--------	---------------------------	---	-----	---	-----	----

### Products Name and Quantity

Product Name	UOM	Quantity	Remarks
NA	--NA--	0	NA

14. List of raw materials and process chemicals with annual consumption corresponding to above stated production figures, in tonnes/month or kl/month or numbers/month.

Name of Raw Material	UOM	Quantity	Hazardous Waste	Hazardous Chemicals	Remarks
Spentwash	MT/Day	800	No	No	This spentwash will be bio-methanated, concentrated & then will be fed to Dryer.
Bentonite	MT/Day	20	No	No	For Granulation as binding material.
Boiler Ash	MT/Day	10	No	No	For Granulation purpose.

15. Description of process of manufacture for each of the products showing input, output, quality and quantity of solid, liquid and gaseous wastes, if any from each unit process.

Copy is attached.

### Part B : Waste Water aspects

16. Water consumption for different uses (m3/day)

Purpose	Consumption	Effluent Generation	Treatment	Remarks	Disposal	Remarks
Domestic Pourpose	0.5	0	Septic Tank & Soak Pit	0	--NA--	NA
Water gets Polluted & Pollutants are Biodegradable	0	0	--NA--	0	--NA--	NA
Water gets Polluted, Pollutants are not Biodegradable & Toxic	0	0	--NA--	0	--NA--	NA
Industrial Cooling, spraying in mine pits or boiler feed	0	0	--NA--	0	--NA--	NA
Others	NA					

17. Source of water supply, Name of authority granting permission if applicable and quantity permitted.

Source of water supply	Name of authority granting permission	Quantity permitted
Irrigation Department	Irrigation Department, Government of Maharashtra	1258

18. Quantity of waste water (effluent) generated (m3/day)

Domastic	Boiler Blowdown	Industrial	Cooling water blowdown
0	0	0	0

Process	DM Plants/Softening	Washing	Tail race discharge from
0	0	0	0

19. Water budget calculations accounting for difference between water consumption and effluent generated.

No water is required for the process.

20. Present treatment of sewage/canteen effluent (Give sizes/capacities of treatment units).

**Capacity of STP (m3/day)**

0

Treatment unit	Size (mxm)	Retention time (hr)
NA	0	0

21. Present treatment of trade effluent (Give sizes/capacities of treatment units) (A schematic diagram of the treatment scheme with inlet/outlet characteristics of each unit operation/process is to be provided. Include details of residue Management system (ETP sludges)

**Capacity of ETP (m3/day)**

0

Treatment unit	Size (mxm)	Retention time (hr)
NA	0	0

22.

**(i) Are sewage and trade effluents mixed together?**

No

**If yes, state at which stage-Whether before, intermittently or after treatment.**

NA

23. Capacity of treated effluent sump, Guard Pond if any.

**Capacity of treated effluent sump (m3)** NA

**Effluent sump/Guard pond details** No NA

**If yes, state at which stage-Whether before, intermittently or after treatment.** No NA

24. Mode of disposal of treated effluent With respective quantity, m3/day

<b>(i) into stream/river (name of river)</b>	0	<b>(ii) into creek/estuary (name of Creek/estuary)</b>	0
<b>(iii) into sea</b>	0	<b>(iv) into drain/sewer (owner of sewer)</b>	0
<b>(v) On land for irrigation on owned land/ase land. Specify cropped area.</b>	0	<b>(vi) Connected to CETP</b>	0
<b>(vii) Quantity of treated effluent reused/ recycled, m3/day Provide a location map of disposal arrangement indicating the outler(s) for sampling. Treated effluent reused / recycled (m3/day)</b>	0	<b>Mode of disposal types</b>	Recycle
<b>Mode of disposal types other (if any)</b>			

25. (a) Quality of untreated/treated effluents (Specify pH and concentration of SS, BOD,COD and specific pollutants relevant to the industry. TDS to be reported for disposal on land or into stream/river.



## Untreated Effluent

<b>pH</b>	7.5
<b>SS (mg/l)</b>	4000
<b>BOD (mg/l)</b>	10000
<b>COD (mg/l)</b>	40000
<b>TDS (mg/l)</b>	7000

<b>Specific pollutant if any</b>	<b>Name</b>	<b>Value</b>
1	NA	0

## Treated Effluent

<b>pH</b>	7.5
<b>SS (mg/l)</b>	100
<b>BOD (mg/l)</b>	100
<b>COD (mg/l)</b>	250
<b>TDS (mg/l)</b>	2100

<b>Specific pollutant if any</b>	<b>Name</b>	<b>Value</b>
1	NA	0

(b) Enclose a copy of the latest report of analysis from the laboratory approved by State Board/ Committee/Central Board/Central Government in the Ministry of Environment expected characteristics of the untreated/treated effluent

NA

## 26. Fuel consumption

<b>Fuel Type</b>	<b>UOM</b>	<b>Fuel Consumption TPD/LKD</b>	<b>Calorific value</b>
Bagasse	MT/Day	50	2250
<b>Ash content</b>	<b>Sulphur content</b>	<b>Quantity</b>	<b>Other (specify)</b>
1.5	0	1	1

## 27. (a) Details of stack (process & fuel stacks: D. G. )

<b>(a) Stack number(s)</b>	<b>(b) Stack attached to</b>	<b>(c) Capacity</b>	<b>(d) Fuel Type</b>
1	Hot Air Generator	28	Bagasse
<b>(e) Fuel quantity (Kg/hr.)</b>	<b>(f) Material of construction</b>	<b>(g) Shape (round/rectangular)</b>	<b>(h) Height, m (above ground level)</b>
2083	RCC	Round	28
<b>(i) Diameter/Size, in meters</b>	<b>(j) Gas quantity, Nm<sup>3</sup>/hr.</b>	<b>(k) Gas temperature °C</b>	<b>(l) Exit gas velocity, m/sec.</b>
2.58	28000	150	2.8
<b>(m) Control equipment preceding the stack</b>	<b>(n) Nature of pollutants likely to present in stack gases such as Cl<sub>2</sub>, Nox, Sox TPM etc.</b>	<b>(o) Emissions control system provided</b>	<b>(p) In case of D.G. Set power generation capacity in KVA</b>
WET Scrubber	SPM/TPM	WET SCRUBBER	-

27. (B) Whether any release of odoriferous compounds such as Mercaptans, Phorate etc. Are coming out from any storages or process house.

NA

28. Do you have adequate facility for collection of samples of emissions in the form of port holes, platform, ladder\etc. As per Central Board Publication "Emission regulations Part-III" ( December, 1985 )

<b>Poart hole</b>	Yes	<b>Details</b>	Yes, Provided
<b>Platform</b>	Yes	<b>Details</b>	Yes, Provided
<b>Ladder</b>	Yes	<b>Details</b>	Yes, Provided

29. Quality of treated flue gas emissions and process emissions. Quantity of treated flue gas emissions and process emissions.

<b>Sr. No</b>	<b>Stack attached to</b>	<b>Parameter</b>	<b>Concentration mg/Nm3</b>	<b>flow (Nm3/hr)</b>
1	Hot Air Generator	TPM	150	0

(Specify concentration of criteria pollutants and industry/process-specific pollutants stack-wise. Enclose a copy of the latest report of analysis from the laboratory approved by State Board/Central Board/ Central Government in the Ministry of Environment & Forests. For proposed unit furnish expected characteristics of the emissions..

NA

#### Part - D: Hazardous Waste aspect

30 Information about Hazardous Waste Management as defined in Hazardous Waste (Management & Handling ) Rules, 1989 as amended in Jan.,2000. Type/Category of Waste as per

##### Waste (Annually) Schedule I

<b>Cat No</b>	<b>Type</b>	<b>Qty</b>	<b>UOM</b>
NA		0	--NA--
<b>Max</b>	<b>Method of collection</b>	<b>Method of reception</b>	<b>Method of storage</b>
	NA	NA	NA
<b>Method of transport</b>	<b>Method of treatment</b>	<b>Method of disposal</b>	
NA	NA	NA	

##### Waste (Annually) Schedule II

31. Details about use of hazardous waste

<b>Name of hazardous waste/Spent chemical</b>	<b>Quantity used/month</b>	<b>Party from whom purchased</b>	<b>Party to whom sold</b>
NA	0	NA	NA

32.

a. Details about technical capability and equipments available with the applicant to handle the Hazardous Waste

NA

b. Characteristics of hazardous waste(s) Specify concentration of relevant pollutants. Enclose a copy of the latest report of analysis from the laboratory approved by State Board/Central Board/Central Govt. in the ministry of Environment & Forests. For proposed units furnish expected characteristics

NA

33.

Copy of format of manifest/record Keeping practiced by the applicant.

NA

34.

Details of self-monitoring (source and environment system)

NA

---

35.

**Are you using any imported hazardous waste. If yes, give details.**

NA

---

36.

**Copy of actual user Registration/certificate obtained from State Pollution Control Board/Ministry of Environment & Forests, Government of India, for use of hazardous waste.**

NA

---

37.

**Present treatment of hazardous waste, if any (give type and capacity of treatment units)**

NA

---

38. Quantity of hazardous waste disposal

**(i) Within factory**

0

**(ii) Outside the factory (specify location and enclose copies of agreement.)**

0

**(iii) Through sale (enclosed documentary proof and copies of agreement.)**

0

**(iv) Outside state/Union Territory, if yes particulars of (1 & 3 ) above.**

0

**(v) Other (Specify)**

0

---

#### **Part - E: Additional information**

---

39.

**a. Do you have any proposals to upgrade the present system for treatment and disposal of effluent/emissions and/or hazardous waste.**

Spent wash Dryer is a part of ETP in which bio-methanated and concentrated spent wash shall be dried

**b. If yes, give the details with time- schedule for the implementation and approximate expenditure to be incurred on it.**

April 2024

---

40.

**Capital and recurring (O & M) expenditure on various aspect of environment protection such as effluent, emission, hazardous waste, solid waste, tree- plantation, monitoring, data acquisition etc. (give figures separately for items implemented/to be implemented).**

9 Crore

---

41.

**To which of the pollution control equipment, separate meters for recording consumption of electric energy are installed ?**

NA

---

42.

**Which of the pollution control items are connected to D.G. Set (captive power source) to ensure their running in the event of normal power failure**

NA

43. Nature, quantity and method of disposal of non- hazardous solid waste generated separately from the process of manufacture and waste treatment. (Give details of area/capacity available in applicant's land)

Type	Quantity	UOM	Treatment	Disposal	Other Details
NA	0	--NA--	NA	NA	NA

44. Hazardous Chemicals - Give details of Chemicals and quantities handled and Stored.

**(i) Is the unit a Major Accident Hazard unit as per Mfg.Storage Import Hazardous Chemicals Rules ?**

NA

**(ii) Is the unit an isolated storage as defined under the MSIHC Rules ?**

NA

**(iii) Indicate status of compliance of Rules 5,7,10,11,12,13 and 18 of the MSIHC Rules.**

NA

**(iv) Has approval of site been obtained from the concerned authority?**

NA

**(v) Has the unit prepared an off-site Emergency Plan? Is it updated ?**

NA

**(vi) Has information on imports of Chemicals been provided to the concerned authority?**

NA

**(vii) Does the unit possess a policy under the PLI Act?**

NA

45. Brief details of tree plantation/green belt development within applicant's premises ( in hectares )

Open Space Availability	Plantation Done On	Number of Trees Planted
100 Square meter	40 Square meter(40 %)	20

46.

**Information of schemes for waste Minimization, resource recovery and recycling - implemented and to be implemented, separately.**

NA

47.

**(a) The applicant shall indicate whether Industry comes under Public Hearing, if so, the relevant documents such as EIA, EMP, Risk Analysis etc. shall be submitted, if so, the relevant documents enclosed shall be indicated accordingly.**

NA

**(b) Any other additional information that the applicants desires to give**

NA

**(c) Whether Environmental Statement submitted ? If submitted, give date of submission.**

Yes Submitted 04.04.2023.

48.

**I/We further declare that the information furnished above is correct to the best of my/our knowledge.**

49.

**I/We hereby submit that in case of any change from what is stated in this application in respect of raw materials, products, process of manufacture and treatment and/or disposal of effluent, emission, hazardous wastes etc. In quality and quantity; a fresh application for Consent/Authorization shall be made and until the grant of fresh Consent/Authorization no change shall be made.**

50.

**I/We undertake to furnish any other information within one month of its being called by the Board**

**Yours faithfully**

**Signature :**

**Name : Mr Rahul M Ghatage**

**Designation : Executive Directors**

#### **Additional Information**

#### **Air Pollution**

<b>Sr No.</b>	<b>Air Pollution Source</b>	<b>Pollutants</b>	<b>APCS Provided</b>	<b>Remark</b>
1	Hot Air Generator	SPM / TPM	WET Scrubber	NA
<b>Separate EM Provided</b>	Yes		<b>Other Emission Sources</b>	NA
<b>Measures Proposed</b>	YES		<b>Foul Smell Coming Out</b>	No
<b>Air Sampling Facility Details</b>	Port Hole, Platform, Ladder, Electrical Supply for flue gas sampling has been provided.			

#### **D.G. Set Details**

<b>Description</b>	<b>Capacity(KVA)</b>	<b>Remarks</b>
NA	0	NA

#### **Hazardous Waste Generation**

<b>Hazardous Waste</b>	<b>Quantity</b>	<b>UOM</b>	<b>Treatment</b>	<b>Disposal</b>	<b>Other Details</b>
------------------------	-----------------	------------	------------------	-----------------	----------------------

#### **CHWTSDF Details**

<b>Member of CHWTSDF</b>	<b>CHWTSDF Name</b>	<b>Remarks</b>
--------------------------	---------------------	----------------

#### **Cess Details**

<b>Cess Applicable</b>	<b>Cess Paid</b>	<b>If Yes, UpTo</b>
Yes	Yes	Sep 1 2017 12:00:00:000AM

#### **Legal Actions**

<b>Legal Action Taken</b>	<b>Legal Record Of Company</b>	<b>Legal Action Details</b>	<b>Remarks</b>
No			

#### **Bank Guarantee Applicable:**

Yes

BG Details

BG Amount  
BG Validity

**Applicable against Consent:**

Yes

- MPCB-BG-0000031128 (N41GOPG240485001)

**Applicable against Direction:**

No

**Annexure**

**Environment Clearance**

<b>Date</b>	<b>Project Details</b>	<b>Capital Investment(Crs.)</b>	<b>Total Plot area(sq. mtrs.)</b>	<b>Total Built up area(sq. mtrs.)</b>	<b>Amendment/Extension</b>
Jan 1, 1900		0	0	0	



# Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

## Application for Consent/ Authorisation

Sir,  
I/We hereby apply for\*

- Consent to Establish/Operate/Renewal of consent under section 25 and 26 of the Water (Prevention & Control of Pollution) Act, 1974 as amended.
- Consent to Establish/Operate/Renewal of consent under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981, as amended.
- Authorization/renewal of authorization under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 in connection with my/our/existing/proposed/altered/ additional manufacturing/processing activity from the premises as per the details given below.

### Consent Information

**UAN No:**  
MPCB-CONSENT-0000208675

**Application submitted on:**  
09-05-2024

### Industry Information

**Consent To:**  
Renewal (Normal)

**IIN No.:**

**Submit to:**  
SRO - Kolhapur

**Type of institution:**  
Industry

**Industry Type:**  
R60 Distillery ( molasses / grain /yeast based)

**Category:**  
Red

**Scale:**  
L.S.I

**Location of industry/activity/etc:**  
Local Body

**Name of Local Body:**

Grampanchayat Takaliwadi

**EC Reqd.**  
Yes

**EC Obtained**  
EC Obtained

**EC Ref. No.**  
J - 11011/41/2015-IA-II (I) Date - 07.06.2019

**Date of issue of EC**  
Jun 7, 2019

**Parivesh Proposal Number**  
IA/MH/IND2/59911/2014

**MoEFCC/SEIAA File Number**  
IA/MH/IND2/59911/2014

**Whether construction-buildup area is more than 20,000 sq.mtr.(Existing Expansion Unit)**

No

### General Information

- Name, designation, office address with Telephone/Fax numbers, e-mail of the Applicant Occupier/Industry/Institution / Local Body.

**Name**  
Shri Rahul Madhavrao Ghatage

**Address**  
Gat No - 61/A, A/p - Takaliwadi

**Designation**  
Executive Director

**Taluka**  
Shirol

**Area**

**District**

Akiwat -Takaliwadi Road

Kolhapur

**Telephone**

7350799494

**Fax**

0231-2686000

**Email**

gslsugars.env@gmail.com

**Pan Number**

AAFCS8656L

2. (a) Name and location of the industrial unit/premises for which the application is made (Give revenue Survey Number/Plot number name of Taluka and District, also telephone and fax number)

**Industry name**

Shri Gurudatt Sugars Ltd.,

**Location of Unit**

Gat No 61/A, Akiwat Takaliwadi Road, Takaliwadi - 416108

**Survey number/Plot Number**

Gat No 61/A,

**Taluka**

Shirol

**District**

Kolhapur

(b) Details of the planning permission obtained from the local body/Town and Country Planning authority/Metropolitan Development authority/ designated Authority.

**Planning permission**

Register of Companies

**Planning Authority**

Ministry of Commerce and Industry

Name of the local body under whose jurisdiction the unit is located and Name of the licence issuing authority

**Name of Local Body**

Takaliwadi Grampanchayat

**Name of the licence issuing authority**

Takaliwadi Grampanchayat

**Sanction plan/ Approved layout Plan/Commencement Certificate**

3. Names,addresses with Telephone and Fax Number of Managing Director / Managing Partner and officer responsible for matters connected with pollution control and/or Hazardous waste disposal.

**Name of Managing Director**

Shri Madhavrao Bhagavanrao Ghatage

**Telephone number**

02312686086

**Fax number**

02312686000

**Officer responsible for day to day business**

Mr Uday Patil

4. (a.) Are you registered Industrial unit ?

No

**Registration number**

77607000

**Date of registration**

Oct 1, 2000

5. Gross capital investment of the unit without depreciation till the date of application (Cost of building, land, plant and machinery). (To be supported by an affidavit/undertaking on Rs.20/- stamp paper, annual report or certificate from a Chartered Accountant for proposed unit(s), give estimated figure)

**Gross capital (in Lakh)**

30579.00

**\* Verified**

CA Certificate

**\* Terms**

1

**\* Consent Fee**

611580.00

6. If the site is located near sea-shore/river bank/other water bodies/Highway, Indicate the crow fly distance and the name of the water body, if any.

**Distance From**

SH/NH

**Distance(Km)**

8.00

**\* Name**

Ichalkarnji -Kurundwad Road

River

7.00

Krishna

Human Habitation

0.00

--NA--

Religious Place

0.00

--NA--

Historical Place

0.00

--NA--



## 6b. Enter Latitude and Longitude details of site

<b>Latitude</b>	<b>Longitude</b>
0	0

## 7. Does the location satisfy the Requirements Under relevant Central/State Govt. Notification such as Coastal Regulation Zone. Notification on Ecologically Fragile Area, Industrial Location policy, etc. If so, give details.

<b>Location</b>	<b>Approved Industry Area</b>	<b>Sensitive Area</b>	<b>If Yes, Name Of Area</b>	<b>Industry Location with Reference to CRZ</b>
NA	No	No	Na	

## 8. If the site is situated in notified industrial estate,

	<b>Details</b>
<b>(a) Whether effluent collection, treatment and disposal system has been provided by the authority.</b>	No NA
<b>(b) Will the applicant utilize the system, if provided.</b>	No NA
<b>(c) If not provided, details of proposed arrangement.</b>	We will installed Biodigester followed by MEE and then dryer and second MEE followed by Incineration

## 9.

<b>(a) Total plot area (in sqaear meter)</b>	<b>(b) Built up area and (in sqaear meter)</b>	<b>(c) Area available for the use of treated sewage/ trade effluent for gardening/irrigation. (in sqaear meter)</b>
204461	17546	37348

## 10. Month and year of commissioning of the Unit.

2019-11-01

## 11. Number of workers and office staff

<b>Workers</b>	<b>staff</b>	<b>Hrs. of shift</b>	<b>Weekly off</b>
60	22	8	Sunday

## 12.

<b>(a) Do you have a residential colony Within the premises in respect of Which the present application is Made ?</b>	No	NA	
<b>(b) If yes, please state population staying</b>			
<b>Number of person staying</b>	<b>Water consumption</b>	<b>Sewage generation</b>	<b>Whether is STP provided?</b>
0	0	0	No
<b>(c) Indicate its location and distance with reference to plant site.</b>			
<b>Number of person staying</b>	<b>Water consumption</b>		
NA	0		

## 13. List of products and by-products Manufactured in tonnes/month, Kl/month or numbers/month with their types i.e.Dyes, drugs etc. (Give figures corresponding to maximum installed production capacity)

**Products Name and Quantity**

<b>Product Name</b>	<b>UOM</b>	<b>Product Name</b>	<b>Existing</b>	<b>Consented</b>	<b>Proposed Revision</b>	<b>Total</b>	<b>Remarks</b>
Distillery including Fermentation Industry	KL/D	RECTIFIED SPIRIT (CAPTIVE DENATURED SPIRIT)	225	225	0	225	NA
Distillery including Fermentation Industry	KL/D	EXTRA NEUTRAL ALCOHOL	139.5	139.5	0	139.5	NA
Distillery including Fermentation Industry	KL/D	ETHANOL	213.75	213.75	0	213.75	NA
Distillery including Fermentation Industry	KL/D	IMPURE SPIRIT / TECHNICAL ALCOHOL	15.75	15.75	0	15.75	NA
Distillery including Fermentation Industry	KL/D	FUSEL OIL	11.25	11.25	0	11.25	NA
Distillery including Fermentation Industry	MW	ELECTRICITY	5.5	5.5	0.5	6	NA

#### Products Name and Quantity

<b>Product Name</b>	<b>UOM</b>	<b>Quantity</b>	<b>Remarks</b>
NA	--NA--	0	NA

14. List of raw materials and process chemicals with annual consumption corresponding to above stated production figures, in tonnes/month or kl/month or numbers/month.

<b>Name of Raw Material</b>	<b>UOM</b>	<b>Quantity</b>	<b>Hazardous Waste</b>	<b>Hazardous Chemicals</b>	<b>Remarks</b>
Molasses	MT/Day	600	No	No	NA
B Heavy Molasses	MT/Day	750	No	No	NA
Sugar Cane Juice Syrup	MT/Day	2812.5	No	No	NA

15. Description of process of manufacture for each of the products showing input, output, quality and quantity of solid, liquid and gaseous wastes, if any from each unit process.

#### Part B : Waste Water aspects

16. Water consumption for different uses (m3/day)

<b>Purpose</b>	<b>Consumption</b>	<b>Effluent Generation</b>	<b>Treatment</b>	<b>Remarks</b>	<b>Disposal</b>	<b>Remarks</b>
Domestic Purpose	1	0.8	Septic Tank & Soak Pit	Use for distillery employees domestic purpose	On Land for Gardening	Use for distillery employees domestic purpose

Water gets Polluted & Pollutants are Biodegradable	1350	270	OTHERS	Spent Wash is Feed to Bio digester followed by MEE followed by Dryer and second root is sent wash p	Others	Spent Wash is Feed to Bio digester followed by MEE followed by Dryer and second root is sent wash p
Water gets Polluted, Pollutants are not Biodegradable & Toxic	0	0	--NA--	0	--NA--	0
Industrial Cooling, spraying in mine pits or boiler feed	72	0	OTHERS	Use Distillery CPU treated water for Fermentation & Cooling tower make up purpose.	Others	Use Distillery CPU treated water for Fermentation & Cooling tower make up purpose.
Others	0					

17. Source of water supply, Name of authority granting permission if applicable and quantity permitted.

Source of water supply	Name of authority granting permission	Quantity permitted
Irrigation Department	Irrigation Department Nursinhwadi Division	998

18. Quantity of waste water (effluent) generated (m3/day)

Domestic	Boiler Blowdown	Industrial	Cooling water blowdown
0.8	0	0	0
Process	DM Plants/Softening	Washing	Tail race discharge from
0	0	0	0

19. Water budget calculations accounting for difference between water consumption and effluent generated.

Water & mass balance is attached.

20. Present treatment of sewage/canteen effluent (Give sizes/capacities of treatment units).

**Capacity of STP (m3/day)**

0

Treatment unit	Size (mxm)	Retention time (hr)
NA	0	0

21. Present treatment of trade effluent (Give sizes/capacities of treatment units) (A schematic diagram of the treatment scheme with inlet/outlet characteristics of each unit operation/process is to be provided. Include details of residue Management system (ETP sludges)

**Capacity of ETP (m3/day)**

0

Treatment unit	Size (mxm)	Retention time (hr)
NA	0	0

22.

(i) Are sewage and trade effluents mixed together?

No

If yes, state at which stage-Whether before, intermittently or after treatment.

NA

23. Capacity of treated effluent sump, Guard Pond if any.

<b>Capacity of treated effluent sump (m3)</b>	NA	
<b>Effluent sump/Guard pond details</b>	No	NA
<b>If yes, state at which stage-Whether before, intermittently or after treatment.</b>	No	NA

24. Mode of disposal of treated effluent With respective quantity, m3/day

<b>(i) into stream/river (name of river)</b>	NA	<b>(ii) into creek/estuary (name of Creek/estuary)</b>	NA
<b>(iii) into sea</b>	NA	<b>(iv) into drain/sewer (owner of sewer)</b>	NA
<b>(v) On land for irrigation on owned land/ase land. Specify cropped area.</b>	NA	<b>(vi) Connected to CETP</b>	NA
<b>(vii) Quantity of treated effluent reused/ recycled, m3/day Provide a location map of disposal arrangement indicating the outler(s) for sampling. Treated effluent reused / recycled (m3/day) Mode of disposal types other (if any)</b>	0	<b>Mode of disposal types</b>	Recycle

25. (a) Quality of untreated/treated effluents (Specify pH and concentration of SS, BOD,COD and specific pollutants relevant to the industry. TDS to be reported for disposal on land or into stream/river.

#### Untreated Effluent

<b>pH</b>	NA	
<b>SS (mg/l)</b>	NA	
<b>BOD (mg/l)</b>	NA	
<b>COD (mg/l)</b>	NA	
<b>TDS (mg/l)</b>	NA	
<b>Specific pollutant if any</b>	<b>Name</b>	<b>Value</b>
1	NA	NA

#### Treated Effluent

<b>pH</b>	NA	
<b>SS (mg/l)</b>	NA	
<b>BOD (mg/l)</b>	NA	
<b>COD (mg/l)</b>	NA	
<b>TDS (mg/l)</b>	NA	
<b>Specific pollutant if any</b>	<b>Name</b>	<b>Value</b>
1	NA	NA

(b) Enclose a copy of the latest report of analysis from the laboratory approved by State Board/ Committee/Central Board/Central Government in the Ministry of Environment expected characteristics of the untreated/treated effluent

NA

## 26. Fuel consumption

<b>Fuel Type</b>	<b>UOM</b>	<b>Fuel Consumption TPD/LKD</b>	<b>Calorific value</b>
--NA--	MT/Day	270	1700
<b>Ash content</b>	<b>Sulphur content</b>	<b>Quantity</b>	<b>Other (specify)</b>
0.1	0.38	1	Concentrated Spent Wash

<b>Fuel Type</b>	<b>UOM</b>	<b>Fuel Consumption TPD/LKD</b>	<b>Calorific value</b>
Coal	MT/Day	50	3800
<b>Ash content</b>	<b>Sulphur content</b>	<b>Quantity</b>	<b>Other (specify)</b>
15	0.5	1	Coal

## 27. (a) Details of stack (process & fuel stacks: D. G. )

<b>(a) Stack number(s)</b>	<b>(b) Stack attached to</b>	<b>(c) Capacity</b>	<b>(d) Fuel Type</b>
1	Electrostatics Precipitator (E.S.P)	22	Coal + Concentrated Spent Wash
<b>(e) Fuel quantity (Kg/hr.)</b>	<b>(f) Material of construction</b>	<b>(g) Shape (round/rectangular)</b>	<b>(h) Height, m (above ground level)</b>
8333	RCC	ROUND	82
<b>(i) Diameter/Size, in meters</b>	<b>(j) Gas quantity, Nm<sup>3</sup>/hr.</b>	<b>(k) Gas temperature °C</b>	<b>(l) Exit gas velocity, m/sec.</b>
4.1	81500	185	25.78
<b>(m) Control equipment preceding the stack</b>	<b>(n) Nature of pollutants likely to present in stack gases such as Cl<sub>2</sub>, Nox, Sox TPM etc.</b>	<b>(o) Emissions control system provided</b>	<b>(p) In case of D.G. Set power generation capacity in KVA</b>
ESP	SPM/TPM	Yes, ESP have provided	NA

## 27. (B) Whether any release of odoriferous compounds such as Mercaptans, Phorate etc. Are coming out from any storages or process house.

NA

## 28. Do you have adequate facility for collection of samples of emissions in the form of port holes, platform, ladder/etc. As per Central Board Publication "Emission regulations Part-III" ( December, 1985 )

<b>Port hole</b>	Yes	<b>Details</b>	Yes, Provided.
<b>Platform</b>	Yes	<b>Details</b>	Yes, Provided.
<b>Ladder</b>	Yes	<b>Details</b>	Yes, Provided.

## 29. Quality of treated flue gas emissions and process emissions. Quantity of treated flue gas emissions and process emissions.

<b>Sr. No</b>	<b>Stack attached to</b>	<b>Parameter</b>	<b>Concentration mg/Nm<sup>3</sup></b>	<b>flow (Nm<sup>3</sup>/hr)</b>
1	Incineration Boiler of Capacity 22 TPH	SPM/TPM	150	80000

(Specify concentration of criteria pollutants and industry/process-specific pollutants stack-wise. Enclose a copy of the latest report of analysis from the laboratory approved by State Board/Central Board/ Central Government in the Ministry of Environment & Forests. For proposed unit furnish expected characteristics of the emissions..

NA

## Part - D: Hazardous Waste aspect

30 Information about Hazardous Waste Management as defined in Hazardous Waste (Management & Handling ) Rules, 1989 as amended in Jan.,2000. Type/Category of Waste as per

**Waste (Annually) Schedule I**

<b>Cat No</b>	<b>Type</b>	<b>Qty</b>	<b>UOM</b>
NA		0	--NA--
<b>Max</b>	<b>Method of collection</b>	<b>Method of reception</b>	<b>Method of storage</b>
	NA	NA	NA
<b>Method of transport</b>	<b>Method of treatment</b>	<b>Method of disposal</b>	
NA	NA	NA	

**Waste (Annually) Schedule II**

31. Details about use of hazardous waste

<b>Name of hazardous waste/Spent chemical</b>	<b>Quantity used/month</b>	<b>Party from whom purchased</b>	<b>Party to whom sold</b>
NA	0	NA	NA

32.

**a. Details about technical capability and equipments available with the applicant to handle the Hazardous Waste**

NA

**b. Characteristics of hazardous waste(s) Specify concentration of relevant pollutants. Enclose a copy of the latest report of analysis from the laboratory approved by State Board/Central Board/Central Govt. in the ministry of Environment & Forests. For proposed units furnish expected characteristics**

NA

33.

**Copy of format of manifest/record Keeping practiced by the applicant.**

NA

34.

**Details of self-monitoring (source and environment system)**

NA

35.

**Are you using any imported hazardous waste. If yes, give details.**

NA

36.

**Copy of actual user Registration/certificate obtained from State Pollution Control Board/Ministry of Environment & Forests, Government of India, for use of hazardous waste.**

NA

37.

**Present treatment of hazardous waste, if any (give type and capacity of treatment units)**

NA

38. Quantity of hazardous waste disposal

**(i) Within factory**

0

**(ii) Outside the factory (specify location and enclose copies of agreement.)**

0

**(iii) Through sale (enclosed documentary proof and copies of agreement.)**

0

**(iv) Outside state/Union Territory, if yes particulars of (1 & 3 ) above.**

0

**(v) Other (Specify)**

0

---

## Part - E: Additional information

---

39.

**a. Do you have any proposals to upgrade the present system for treatment and disposal of effluent/emissions and/or hazardous waste.**

NA

**b. If yes, give the details with time- schedule for the implementation and approximate expenditure to be incurred on it.**

NA

---

40.

**Capital and recurring (O & M) expenditure on various aspect of environment protection such as effluent, emission, hazardous waste, solid waste, tree- plantation, monitoring, data acquisition etc. (give figures separately for items implemented/to be implemented).**

Capital cost of CPU 11.52 Cr, Incineration Boiler 35 Cr, & O & M cost is 13 Cr

---

41.

**To which of the pollution control equipment, separate meters for recording consumption of electric energy are installed ?**

Yes installed

---

42.

**Which of the pollution control items are connected to D.G. Set (captive power source) to ensure their running in the event of normal power failure**

NA

---

43. Nature, quantity and method of disposal of non- hazardous solid waste generated separately from the process of manufacture and waste treatment. (Give details of area/capacity available in applicant's land)

Type	Quantity	UOM	Treatment	Disposal	Other Details
NA	0	--NA--	NA	NA	NA

---

44. Hazardous Chemicals - Give details of Chemicals and quantities handled and Stored.

**(i) Is the unit a Major Accident Hazard unit as per Mfg.Storage Import Hazardous Chemicals Rules ?**

NA

**(ii) Is the unit an isolated storage as defined under the MSIHC Rules ?**

NA

**(iii) Indicate status of compliance of Rules 5,7,10,11,12,13 and 18 of the MSIHC Rules.**

NA

**(iv) Has approval of site been obtained from the concerned authority?**

NA

**(v) Has the unit prepared an off-site Emergency Plan? Is it updated ?**

NA

**(vi) Has information on imports of Chemicals been provided to the concerned authority?**

NA

**(vii) Does the unit possess a policy under the PLI Act?**

NA

45. Brief details of tree plantation/green belt development within applicant's premises ( in hectors )

<b>Open Space Availability</b>	<b>Plantation Done On</b>	<b>Number of Trees Planted</b>
37348 Square meter	13112 Square meter(35 %)	12450

46.

**Information of schemes for waste Minimization, resource recovery and recycling - implemented and to be implemented, separately.**

NA

47.

**(a) The applicant shall indicate whether Industry comes under Public Hearing, if so, the relevant documents such as EIA, EMP, Risk Analysis etc. shall be submitted, if so, the relevant documents enclosed shall be indicated accordingly.**

NA

**(b) Any other additional information that the applicants desires to give**

NA

**(c) Whether Environmental Statement submitted ? If submitted, give date of submission.**

Yes, Submitted - dt. 12.04.2024.

48.

**I/We further declare that the information furnished above is correct to the best of my/our knowledge.**

49.

**I/We hereby submit that in case of any change from what is stated in this application in respect of raw materials, products, process of manufacture and treatment and/or disposal of effluent, emission, hazardous wastes etc. In quality and quantity; a fresh application for Consent/Authorization shall be made and until the grant of fresh Consent/Authorization no change shall be made.**

50.

**I/We undertake to furnish any other information within one month of its being called by the Board**

**Yours faithfully**

**Signature :**

**Name : Mr Rahul Madhavrao Ghatge**

**Designation : Executive Directors**

#### **Additional Information**

#### **Air Pollution**

<b>Sr No.</b>	<b>Air Pollution Source</b>	<b>Pollutants</b>	<b>APCS Provided</b>	<b>Remark</b>
1	Incineration Boiler 22 TPH	SPM / TPM	ESP Provided	ESP Provided

<b>Separate EM Provided</b>	Yes	<b>Other Emission Sources</b>	NA
-----------------------------	-----	-------------------------------	----

<b>Measures Proposed</b>	YES	<b>Foul Smell Coming Out</b>	No
--------------------------	-----	------------------------------	----



**Air Sampling Facility Details** Ladder, platform, Porthole provided.

### D.G. Set Details

Description	Capacity(KVA)	Remarks
NA	0	NA

### Hazardous Waste Generation

Hazardous Waste	Quantity	UOM	Treatment	Disposal	Other Details
-----------------	----------	-----	-----------	----------	---------------

### CHWTSDF Details

Member of CHWTSDF	CHWTSDF Name	Remarks
-------------------	--------------	---------

### Cess Details

Cess Applicable	Cess Paid	If Yes, UpTo
Yes	Yes	Sep 1 2017 12:00:00:000AM

### Legal Actions

Legal Action Taken	Legal Record Of Company	Legal Action Details	Remarks
No			

**Bank Guarantee Applicable:** Yes

BG Details Towards O & M of PCS and compliance of consent conditions.

BG Amount 2500000

BG Validity 28-02-2025

**Applicable against Consent:** Yes

• MPCB-BG-0000026338 (N41GOPG232355002)

**Applicable against Direction:** No

### Annexure

**FORM 7**

( See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114)

**SHRI GURUDATT SUGARS LIMITED**

**( Health Register )**

**( In respect of persons employed in occupations declared to be dangerous operations under sections 87 )**

**CERTIFYING SURGEON**

**DR. ARVIND MANE**

**MBBS DPH AFIH.(MUMBAI)**

DSD Security

From: { 12-01-24 To 11-01-25 }

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth -day)	Dept. of employment of present work	Date of Leaving or Transfer to Other	Reason For Leaving Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of certifying surgeon	unfitness or suspection issued to	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
1	100	Bharat B. Jadhav	Male	57	Security	NA	NA			13-01-24	FIT	NA	NA	NA	
2	14001	Sham S. Patil	Male	42	Security	NA	NA			13-01-24	FIT	NA	NA	NA	
3	14005	Sumit Bandu Khot	Male	23	Security	NA	NA			13-01-24	FIT	NA	NA	NA	
4	14006	Siddharath K. Kamble	Male	35	Security	NA	NA			13-01-24	FIT	NA	NA	NA	
5	14007	Yogesh S. Dharangutte	Male	27	Security	NA	NA			13-01-24	FIT	NA	NA	NA	
6	14008	Nitin G. Madhale	Male	36	Security	NA	NA			13-01-24	FIT	NA	NA	NA	
7	14010	Pramod Y. Kadam	Male	43	Security	NA	NA			13-01-24	FIT	NA	NA	NA	
8	14014	Shubham Narayan Gaikwad	Male	26	Security	NA	NA			13-01-24	FIT	NA	NA	NA	
9	14016	Prakash Ramu Repe	Male	39	Security	NA	NA			13-01-24	FIT	NA	NA	NA	
10	14017	Prakash A. Gaykwad	Male	28	Security	NA	NA			13-01-24	FIT	NA	NA	NA	
11	14018	Avadhut S. Jagtap	Male	52	Security	NA	NA			13-01-24	FIT	NA	NA	NA	
12	14019	Rushikesh Balasaheb Thorat	Male	25	Security	NA	NA			13-01-24	FIT	NA	NA	NA	
13	14021	Sagar R. Apraj	Male	30	Security	NA	NA			13-01-24	FIT	NA	NA	NA	
14	14022	Chidanand R. Dharangutte	Male	24	Security	NA	NA			13-01-24	FIT	NA	NA	NA	
15	14023	Shivram E. Kamble	Male	41	Security	NA	NA			13-01-24	FIT	NA	NA	NA	
16	14024	Shashidhar Kamble	Male	40	Security	NA	NA			13-01-24	FIT	NA	NA	NA	
17	14025	Vinod R. Kadam	Male	44	Security	NA	NA			13-01-24	FIT	NA	NA	NA	
18	14026	Sanjay S. Patil	Male	49	Security	NA	NA			13-01-24	FIT	NA	NA	NA	
19	14027	Shahir S. Chavare	Male	59	Security	NA	NA			13-01-24	FIT	NA	NA	NA	
20	14028	Swapnil B. Mohite	Male	27	Security	NA	NA			13-01-24	FIT	NA	NA	NA	
21	14029	Prabhakar A. Aadake	Male	36	Security	NA	NA			13-01-24	FIT	NA	NA	NA	
22	-	Sambhaji A. Pujari	Male	45	Security	NA	NA			13-01-24	FIT	NA	NA	NA	

  
 कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे  
 कोल्हापूर जिल्हाकरिता  
 प्राधिकृत प्रमाणकशल्यचिकित्सक  
 क्र. ACS 15-AM/2016

**FORM 7**

( See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114)

**SHRI GURUDATT SUGARS LIMITED**

**( Health Register )**

**( In respect of persons employed in occupations declared to be dangerous operations under sections 87 )**

**CERTIFYING SURGEON**


**DR. ARVIND MANE**

**MBBS DPH AFIH.(MUMBAI)**

**Nirmal Jyot**

From: { 12-01-24 To 11-01-25 }

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth -day)	Dept. of employment of present work	Date of Leaving or Transfer to Other	Reason For Leaving Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of certifying surgeon	unfitness or suspenstion issued to	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
1	10015	Vinayak K. Ghatage	Male	37	Agriculture	NA	NA			13-01-24	FIT	NA	NA	NA	
2	16001	Vijay M. Patil	Male	30	ETP	NA	NA			13-01-24	FIT	NA	NA	NA	
3	16002	Amin D. Mulla	Male	30	Store	NA	NA			13-01-24	FIT	NA	NA	NA	
4	16003	Dipak S. Badame	Male	31	Manufacturing	NA	NA			13-01-24	FIT	NA	NA	NA	
5	16005	Pravin P. Kamble	Male	29	ETP	NA	NA			13-01-24	FIT	NA	NA	NA	
6	16007	Mahesh G. Kamble	Male	32	WTP	NA	NA			13-01-24	FIT	NA	NA	NA	
7	16009	Appaso D. Khot	Male	33	Store	NA	NA			13-01-24	FIT	NA	NA	NA	
8	16009	Babaso A. Kumbhar	Male	30	WTP	NA	NA			13-01-24	FIT	NA	NA	NA	
9	16012	Anil G. Patil	Male	37	Caneyard	NA	NA			13-01-24	FIT	NA	NA	NA	
10	16013	Ramesh B. Jadhav	Male	43	Caneyard	NA	NA			13-01-24	FIT	NA	NA	NA	
11	16017	Atul S. Chudumunge	Male	31	Agriculture	NA	NA			13-01-24	FIT	NA	NA	NA	
12	16019	Vinod B. Sokande	Male	31	Agriculture	NA	NA			13-01-24	FIT	NA	NA	NA	
13	16020	Pandurang R. Dhangar	Male	45	Caneyard	NA	NA			13-01-24	FIT	NA	NA	NA	
14	16021	Namdev K. Nirmale	Male	36	WTP	NA	NA			13-01-24	FIT	NA	NA	NA	
15	16022	Dadaso Babaso Bhamane	Male	30	Co-Generation	NA	NA			13-01-24	FIT	NA	NA	NA	
16	16023	Santosh N. Kamble	Male	31	Electrician	NA	NA			13-01-24	FIT	NA	NA	NA	
17	16025	Chandrakant P. Biranage	Male	34	Engineering	NA	NA			13-01-24	FIT	NA	NA	NA	
18	16026	Rohit M. Patil	Male	27	ETP	NA	NA			13-01-24	FIT	NA	NA	NA	
19	16027	Vaibhav B. Yedake	Male	29	WTP	NA	NA			13-01-24	FIT	NA	NA	NA	
20	16031	Ajit S. Patil	Male	34	Electrician	NA	NA			13-01-24	FIT	NA	NA	NA	
21	16032	Balaso Lahu Kamble	Male	27	WTP	NA	NA			13-01-24	FIT	NA	NA	NA	
22	16033	Shubham A. Patil	Male	24	WTP	NA	NA			13-01-24	FIT	NA	NA	NA	
23	16034	Prajyot M. Ingale	Male	34	Caneyard	NA	NA			13-01-24	FIT	NA	NA	NA	
24	16035	Shrimant B. Latkar	Male	33	Caneyard	NA	NA			13-01-24	FIT	NA	NA	NA	
25	16036	Santosh Vasant Kumbhar	Male	35	Engineering	NA	NA			13-01-24	FIT	NA	NA	NA	
26	16037	Rahul Tanaji Kumbhar	Male	30	Juss	NA	NA			13-01-24	FIT	NA	NA	NA	
27	16038	Yuvraj A. Mane	Male	37	Engineering	NA	NA			13-01-24	FIT	NA	NA	NA	

  
 कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे  
 कोल्हापूर जिल्हाकरिता  
 प्राधिकृत प्रमाणकशल्यधिकृत  
 क्र. ACS 15-AM/2016

**FORM 7**

( See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114 )  
**SHRI GURUDATT SUGARS LIMITED**  
 ( Health Register )

**CERTIFYING SURGEON**  
**DR. ARVIND MANE**  
 MBBS DPH AFIH.(MUMBAI)

( In respect of persons employed in occupations declared to be dangerous operations under sections 87 )

Nirmal Jyot

From: { 12-01-24 To 11-01-25 }

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth -day)	Dept. of employment of present work	Date of Leaving or Transfer to Other	Reason For Leaving Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of certifying surgeon	unfitness or suspection issued to	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
28	16039	Sachin V. Kumbhar	Male	38	Engineering	NA	NA			13-01-24	FIT	NA	NA	NA	
29	16041	Appaso P. Narute	Male	38	Engineering	NA	NA			13-01-24	FIT	NA	NA	NA	
30	16043	Sagar A. Mali	Male	35	Caneyard	NA	NA			13-01-24	FIT	NA	NA	NA	
31	16044	Satish N. Gaykwad	Male	29	Caneyard	NA	NA			13-01-24	FIT	NA	NA	NA	
32	16045	Nikhil P. Patil	Male	29	Caneyard	NA	NA			13-01-24	FIT	NA	NA	NA	
33	16046	Chandrakant V. Magdum	Male	42	Caneyard	NA	NA			13-01-24	FIT	NA	NA	NA	
34	16048	Sushant P. Kosti	Male	27	WTP	NA	NA			13-01-24	FIT	NA	NA	NA	
35	16054	Machindranath A. Davari	Male	53	WTP	NA	NA			13-01-24	FIT	NA	NA	NA	
36	16055	Amar Ashok Korale	Male	36	Caneyard	NA	NA			13-01-24	FIT	NA	NA	NA	
37	-	Vishal Ravasaheb Bage	Male	27	HR	NA	NA			13-01-24	FIT	NA	NA	NA	

  
 कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे  
 कोल्हापूर जिल्हाकरिता  
 प्राधिकृत प्रमाणकशल्यचिकित्सक  
 क्र. ACS 15-AM/2016

**FORM 7**

( See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114)

**SHRI GURUDATT SUGARS LIMITED**

**( Health Register )**

**( In respect of persons employed in occupations declared to be dangerous operations under sections 87 )**

**CERTIFYING SURGEON**


**DR. ARVIND MANE**

**MBBS DPH AFIH.(MUMBAI)**

Pramutech Services Ltd.

From: { 12-01-24 To 11-01-25 }

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth -day)	Dept. of employment of present work	Date of Leaving or Transfer to Other	Reason For Leaving Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of certifying surgeon	unfitness or suspenstion issued to	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
1	1106	Rakesh R. Savadatti	Male	26	Co-Generation	NA	NA			13-01-24	FIT	NA	NA	NA	
2	11006	Kapil S. Gidd	Male	32	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
3	11007	Tejas P. Patil	Male	27	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
4	11009	Ramesh R. Kadam	Male	41	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
5	11012	Satish N. Patil	Male	40	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
6	11014	Gangadhar R. Bhosale	Male	30	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
7	11019	Pravin B. Mali	Male	31	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
8	11020	Manjunath S. Patil	Male	31	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
9	11021	Adinath M. Nirmale	Male	26	D.E.	NA	NA			13-01-24	FIT	NA	NA	NA	
10	11022	Farukh M. Khan Mokashi	Male	37	Electrician	NA	NA			13-01-24	FIT	NA	NA	NA	
11	11023	Pravin P. Patil	Male	0	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
12	11024	Kadagouda B. Patil	Male	44	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
13	11027	Ajitsinh B. Padaval	Male	31	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
14	11033	Ganesh V. Khot	Male	23	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
15	11042	Sakul S. Latakar	Male	27	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
16	11044	Vipul A. Patil	Male	29	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
17	11049	Ravikiran E. Dhavale	Male	44	Co-Generation	NA	NA			13-01-24	FIT	NA	NA	NA	
18	11051	Sourabh S. Gaukude	Male	25	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
19	11054	Amol V. Jagtap	Male	40	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
20	11055	Shivanand S. Langre	Male	26	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
21	11056	Amol S. Patil	Male	27	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
22	11057	Sourabh M. Kakade	Male	27	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
23	11059	Umesh M. Kagale	Male	36	Engineering	NA	NA			13-01-24	FIT	NA	NA	NA	
24	11061	Ranjit S. Patil	Male	27	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
25	11063	Kashinath D. Goundi	Male	31	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
26	11065	Sunil S. Sajane	Male	34	Engineering	NA	NA			13-01-24	FIT	NA	NA	NA	
27	11065	Prasad A. Kumbhar	Male	37	Engineering	NA	NA			13-01-24	FIT	NA	NA	NA	

  
 कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे  
 कोल्हापूर जिल्हाकरिता  
 प्राधिकृत प्रमाणकशल्यचिकित्सक  
 क्र. ACS 15-AM/2016

**FORM 7**

( See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114)

**SHRI GURUDATT SUGARS LIMITED**

**( Health Register )**

**( In respect of persons employed in occupations declared to be dangerous operations under sections 87 )**

**CERTIFYING SURGEON**


**DR. ARVIND MANE**

**MBBS DPH AFIH.(MUMBAI)**

Pramutech Services Ltd.

From: { 12-01-24 To 11-01-25 }

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth -day)	Dept. of employment of present work	Date of Leaving or Transfer to Other	Reason For Leaving Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of certifying surgeon	unfitness or suspenstion issued to	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
28	11066	Raghavendra D. Shamannavar	Male	34	Engineering	NA	NA			13-01-24	FIT	NA	NA	NA	
29	11067	Arjun S. Pujari	Male	27	Co-Generation	NA	NA			13-01-24	FIT	NA	NA	NA	
30	11068	Kiran S. Mandeshi	Male	34	WTP	NA	NA			13-01-24	FIT	NA	NA	NA	
31	11069	Pravin R. Jadhav	Male	32	Engineering	NA	NA			13-01-24	FIT	NA	NA	NA	
32	11070	Ananda B. Unhale	Male	32	WTP	NA	NA			13-01-24	FIT	NA	NA	NA	
33	11073	Pravin S. Thakur	Male	38	WTP	NA	NA			13-01-24	FIT	NA	NA	NA	
34	11074	Dhareppa G. Mane	Male	25	Engineering	NA	NA			13-01-24	FIT	NA	NA	NA	
35	11075	Pradeep G. Mali	Male	37	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
36	11078	Vijay Raj A. Dudhale	Male	28	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
37	11079	Sunil P. Mhajshale	Male	37	WTP	NA	NA			13-01-24	FIT	NA	NA	NA	
38	11081	Sourabh R. Nandane	Male	24	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
39	11084	Appanagouda B. Patil	Male	26	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
40	11084	Jagannath D. Chavan	Male	30	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
41	11088	Kiran R. Latte	Male	24	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
42	11090	Sourabh S. Mane	Male	24	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
43	11091	Akshay Kumar S. Gaikwad	Male	28	Engineering	NA	NA			13-01-24	FIT	NA	NA	NA	
44	11092	Sagar S. Zanje	Male	27	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
45	11093	Suraj S. Patil	Male	25	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
46	11094	Akash A. Powar	Male	24	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
47	11095	Anand Shankar Naik	Male	31	Engineering	NA	NA			13-01-24	FIT	NA	NA	NA	
48	11097	Shivshant S. Waghmare	Male	28	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
49	11100	Amol S. Kachare	Male	44	Engineering	NA	NA			13-01-24	FIT	NA	NA	NA	
50	11101	Ganesh S. Patil	Male	28	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
51	11102	Mahesh B. Kattikar	Male	29	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
52	11104	Ketan B. Patil	Male	28	Electrician	NA	NA			13-01-24	FIT	NA	NA	NA	
53	11107	Shreyansh B. Girmal	Male	24	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
54	11108	Ramazan D. Keruri	Male	40	Engineering	NA	NA			13-01-24	FIT	NA	NA	NA	

  
 कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे  
 कोल्हापूर जिल्हाकरिता  
 प्राधिकृत प्रमाणकशाल्यधिकारिता  
 क्र. ACS 15-AM/2016

FORM 7

( See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114 )  
**SHRI GURUDATT SUGARS LIMITED**  
 ( Health Register )

**CERTIFYING SURGEON**  
**DR. ARVIND MANE**  
 MBBS DPH AFIH.(MUMBAI)

( In respect of persons employed in occupations declared to be dangerous operations under sections 87 )

Pramutech Services Ltd.

From: { 12-01-24 To 11-01-25 }

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth -day)	Dept. of employment of present work	Date of Leaving or Transfer to Other	Reason For Leaving Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of certifying surgeon	unfitness or suspection issued to	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
55	11109	Gorakanath D. Mane	Male	49	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
56	11111	Vikrant B. Kamble	Male	37	Boiler	NA	NA			13-01-24	FIT	NA	NA	NA	
57	11113	Sachin T. Jadhav	Male	26	WDT	NA	NA			13-01-24	FIT	NA	NA	NA	
58	11114	Adesh V. Gundkalle	Male	26	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
59	11116	Suyash S. Ghatage	Male	22	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
60	-	Yogesh V. Kumbhar	Male	28	Engineering	NA	NA			13-01-24	FIT	NA	NA	NA	

  
 कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे  
 कोल्हापूर जिल्हाकरिता  
 प्राधिकृत प्रमाणकशल्यचिकित्सक  
 क्र. ACS 15-AM/2016

## FORM 7

( See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114 )  
**SHRI GURUDATT SUGARS LIMITED**  
 ( Health Register )

**CERTIFYING SURGEON**  
**DR. ARVIND MANE**  
 MBBS DPH AFIH.(MUMBAI)

( In respect of persons employed in occupations declared to be dangerous operations under sections 87 )

Raju Tambekar

From: { 12-01-24 To 11-01-25 }

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth -day)	Dept. of employment of present work	Date of Leaving or Transfer to Other	Reason For Leaving Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of certifying surgeon	unfitness or suspection issued to	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11		12	13	14	15
1 -		Appaso L. Latte	Male	50	Packing	NA	NA			13-01-24	FIT	NA	NA	NA	
2 -		Imran S. Kunundwade	Male	35	Sugar Godwan	NA	NA			13-01-24	FIT	NA	NA	NA	
3 -		Kedar K. Nirmale	Male	26	Sugar Godwan	NA	NA			13-01-24	FIT	NA	NA	NA	
4 -		Nagesh D. Gaste	Male	28	Sugar Godwan	NA	NA			13-01-24	FIT	NA	NA	NA	

  
 कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे  
 कोल्हापूर जिल्हाकरिता  
 प्राधिकृत प्रमाणकशल्यचिकित्सक  
 क्र. ACS 15-AM/2016



**FORM 7**

( See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114)

**SHRI GURUDATT SUGARS LIMITED**

**( Health Register )**

**( In respect of persons employed in occupations declared to be dangerous operations under sections 87 )**

**CERTIFYING SURGEON**


**DR. ARVIND MANE**

**MBBS DPH AFIH.(MUMBAI)**

V.D.P.

From: { 12-01-24 To 11-01-25 }

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth -day)	Dept. of employment of present work	Date of Leaving or Transfer to Other	Reason For Leaving Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of certifying surgeon	unfitness or suspenstion issued to	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
1	1505	Vidyasagar B. Chavan	Male	28	Engineering	NA	NA			13-01-24	FIT	NA	NA	NA	
2	15034	Krishnat A. Shinde	Male	30	WTP	NA	NA			13-01-24	FIT	NA	NA	NA	
3	15035	Sagar S. Patil	Male	27	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
4	15038	Mahesh B. Badame	Male	32	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
5	15039	Vinayak Rajaram Prathnahalli	Male	25	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
6	15041	Nikhil N. Patil	Male	21	Sanitation	NA	NA			13-01-24	FIT	NA	NA	NA	
7	15042	Ramchandra A. Vankore	Male	32	Sanitation	NA	NA			13-01-24	FIT	NA	NA	NA	
8	15043	Prakash S. Uadar	Male	39	ETP	NA	NA			13-01-24	FIT	NA	NA	NA	
9	15044	Ashitosh S. Pawar	Male	24	WTP	NA	NA			13-01-24	FIT	NA	NA	NA	
10	15045	Basagonda C. Patil	Male	27	WTP	NA	NA			13-01-24	FIT	NA	NA	NA	
11	15051	Sourabh S. Koli	Male	25	Sanitation	NA	NA			13-01-24	FIT	NA	NA	NA	
12	15052	Rakesh Tatoba Gawade	Male	24	Biofertilizer	NA	NA			13-01-24	FIT	NA	NA	NA	
13	15054	Omkar Gajanan Bore	Male	26	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
14	15055	Altaf M. Tashildar	Male	24	WTP	NA	NA			13-01-24	FIT	NA	NA	NA	
15	15057	Aaditya Sunil More	Male	24	WTP	NA	NA			13-01-24	FIT	NA	NA	NA	
16	15058	Shoukat I. Naikwade	Male	49	Sanitation	NA	NA			13-01-24	FIT	NA	NA	NA	
17	15061	Sachin S. Pakhare	Male	38	Sanitation	NA	NA			13-01-24	FIT	NA	NA	NA	
18	15062	Vinayak K. Vasawade	Male	28	Caneyard	NA	NA			13-01-24	FIT	NA	NA	NA	
19	15064	Prakul P. Walake	Male	31	Agriculture	NA	NA			13-01-24	FIT	NA	NA	NA	
20	15071	Abhishek V. Badame	Male	25	Default	NA	NA			13-01-24	FIT	NA	NA	NA	
21	15073	Pandurang B. Sutar	Male	28	Caneyard	NA	NA			13-01-24	FIT	NA	NA	NA	
22	15077	Sandip R. Koli	Male	24	Electrician	NA	NA			13-01-24	FIT	NA	NA	NA	
23	15079	Atul Shankar Bele	Male	23	Engineering	NA	NA			13-01-24	FIT	NA	NA	NA	
24	15082	Shiddheshwar R. Gote	Male	41	Manufacturing	NA	NA			13-01-24	FIT	NA	NA	NA	
25	15085	Sachin M. Chavan	Male	25	Manufacturing	NA	NA			13-01-24	FIT	NA	NA	NA	
26	15087	Yugandhar Y. Shinde	Male	27	WTP	NA	NA			13-01-24	FIT	NA	NA	NA	
27	15088	Shivraj R. Koli	Male	25	Engineering	NA	NA			13-01-24	FIT	NA	NA	NA	

  
 कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे  
 कोल्हापूर जिल्हाकरिता  
 प्राधिकृत प्रमाणकशाल्यधिकारिता  
 क्र. ACS 15-AM/2016

**FORM 7**

( See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114)

**SHRI GURUDATT SUGARS LIMITED**

**( Health Register )**

**( In respect of persons employed in occupations declared to be dangerous operations under sections 87 )**

**CERTIFYING SURGEON**


**DR. ARVIND MANE**

**MBBS DPH AFIH.(MUMBAI)**

V.D.P.

From: { 12-01-24 To 11-01-25 }

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth -day)	Dept. of employment of present work	Date of Leaving or Transfer to Other	Reason For Leaving Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of certifying surgeon	unfitness or suspenstion issued to	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
28	15090	Pradip A. Naik	Male	26	Manufacturing	NA	NA			13-01-24	FIT	NA	NA	NA	
29	15091	Mahesh S. Mali	Male	38	Engineering	NA	NA			13-01-24	FIT	NA	NA	NA	
30	15093	Chidanand A. Karadage	Male	36	Manufacturing	NA	NA			13-01-24	FIT	NA	NA	NA	
31	15094	Rohan S. Patil	Male	27	Caneyard	NA	NA			13-01-24	FIT	NA	NA	NA	
32	15096	Vithal R. Gavade	Male	27	Default	NA	NA			13-01-24	FIT	NA	NA	NA	
33	15097	Mahesh S. Vankundre	Male	32	WTP	NA	NA			13-01-24	FIT	NA	NA	NA	
34	15098	Abhishek S. Mang	Male	25	Manufacturing	NA	NA			13-01-24	FIT	NA	NA	NA	
35	15099	Rakesh D. Koli	Male	30	Engineering	NA	NA			13-01-24	FIT	NA	NA	NA	
36	15102	Rahul R. Sunger	Male	28	Engineering	NA	NA			13-01-24	FIT	NA	NA	NA	
37	15108	Prathamesh V. Katarak	Male	27	WTP	NA	NA			13-01-24	FIT	NA	NA	NA	
38	15110	Suraj S. Badame	Male	26	Manufacturing	NA	NA			13-01-24	FIT	NA	NA	NA	
39	15114	Akshay D. Magdum	Male	25	WTP	NA	NA			13-01-24	FIT	NA	NA	NA	
40	15116	Ramdass A. Vasankar	Male	22	Engineering	NA	NA			13-01-24	FIT	NA	NA	NA	
41	15121	Subham S. Patil	Male	25	Engineering	NA	NA			13-01-24	FIT	NA	NA	NA	
42	15131	Dhiraj U. Tavdare	Male	22	Engineering	NA	NA			13-01-24	FIT	NA	NA	NA	
43	15132	Babu A. Koravi	Male	20	Manufacturing	NA	NA			13-01-24	FIT	NA	NA	NA	
44	15135	Harshad V. Ugare	Male	23	Production	NA	NA			13-01-24	FIT	NA	NA	NA	
45	15138	Shubham B. Bhatale	Male	27	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
46	15139	Sumit P. Jadhav Koravi	Male	23	Engineering	NA	NA			13-01-24	FIT	NA	NA	NA	
47	15145	Vahid Babar Kurade	Male	20	Boiler	NA	NA			13-01-24	FIT	NA	NA	NA	
48	15146	Vishal Sanjay Phandare	Male	21	Engineering	NA	NA			13-01-24	FIT	NA	NA	NA	
49	15148	Vishal Suresh Khot	Male	25	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
50	15150	Anil R. Patil	Male	47	Electrician	NA	NA			13-01-24	FIT	NA	NA	NA	
51	15161	Santosh K. Dhavale	Male	24	WTP	NA	NA			13-01-24	FIT	NA	NA	NA	
52	15164	Shankar D. Killedar	Male	25	Sanitation	NA	NA			13-01-24	FIT	NA	NA	NA	
53	15166	Aakash Sanjay Vadar	Male	22	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
54	15170	Ramchandra B. Nandikuale	Male	41	Time Office	NA	NA			13-01-24	FIT	NA	NA	NA	

  
 कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे  
 कोल्हापूर जिल्हाकरिता  
 प्राधिकृत प्रमाणकशाल्यधिकारिता  
 क्र. ACS 15-AM/2016

**FORM 7**


**( See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114 )**  
**SHRI GURUDATT SUGARS LIMITED**  
**( Health Register )**  
**( In respect of persons employed in occupations declared to be dangerous operations under sections 87 )**

**CERTIFYING SURGEON**  
**DR. ARVIND MANE**  
**MBBS DPH AFIH.(MUMBAI)**

V.D.P.

From: { 12-01-24 To 11-01-25 }

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth -day)	Dept. of employment of present work	Date of Leaving or Transfer to Other	Reason For Leaving Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of certifying surgeon	unfitness or suspenstion issued to	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
55	15175	Moshin A. Jamadar	Male	24	Manufacturing	NA	NA			13-01-24	FIT	NA	NA	NA	
56	15177	Sushant S. Desai	Male	24	WTP	NA	NA			13-01-24	FIT	NA	NA	NA	
57	15180	Rahul M. Pakhare	Male	23	Engineering	NA	NA			13-01-24	FIT	NA	NA	NA	
58	15187	Gurudatt S. Koli	Male	23	Engineering	NA	NA			13-01-24	FIT	NA	NA	NA	
59	15188	Sourabh S. Solase	Male	24	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
60	15189	Akshay V. Patil	Male	26	Manufacturing	NA	NA			13-01-24	FIT	NA	NA	NA	
61	15191	Dhananjay A. Nasalapure	Male	29	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
62	15192	Amol P. Birange	Male	23	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
63	15194	Sanket R. Dangre	Male	22	WTP	NA	NA			13-01-24	FIT	NA	NA	NA	
64	15196	Adarsh Y. Patil	Male	24	Manufacturing	NA	NA			13-01-24	FIT	NA	NA	NA	
65	15201	Shubham S. Koli	Male	24	Electrician	NA	NA			13-01-24	FIT	NA	NA	NA	
66	15202	Umesh B. Bawadekar	Male	29	ETP	NA	NA			13-01-24	FIT	NA	NA	NA	
67	15204	Raj A. Patil	Male	30	Engineering	NA	NA			13-01-24	FIT	NA	NA	NA	
68	15205	Ashok A. Koli	Male	28	Electrician	NA	NA			13-01-24	FIT	NA	NA	NA	
69	15206	Omkar V. Patil	Male	23	WTP	NA	NA			13-01-24	FIT	NA	NA	NA	
70	15207	Chandan N. Sahani	Male	30	Engineering	NA	NA			13-01-24	FIT	NA	NA	NA	
71	15208	Shambhu S. Sing	Male	36	Default	NA	NA			13-01-24	FIT	NA	NA	NA	
72	15209	Satyanand V. Gupta	Male	21	Default	NA	NA			13-01-24	FIT	NA	NA	NA	
73	-	Abhishek Sanjay Phalle	Male	23	-	NA	NA			13-01-24	FIT	NA	NA	NA	
74	-	Anil S. Koli	Male	48	-	NA	NA			13-01-24	FIT	NA	NA	NA	
75	-	Pandurang A. Susavare	Male	38	-	NA	NA			13-01-24	FIT	NA	NA	NA	
76	-	Uday S. Patil	Male	40	Boiler	NA	NA			13-01-24	FIT	NA	NA	NA	
77	-	Prathmesh S. Chavan	Male	23	Co-Generation	NA	NA			13-01-24	FIT	NA	NA	NA	
78	-	Kumar S. Birandage	Male	21	Distillery	NA	NA			13-01-24	FIT	NA	NA	NA	
79	-	Sammed R. Vathare	Male	22	Electrician	NA	NA			13-01-24	FIT	NA	NA	NA	
80	-	Sourabh S. Ugare	Male	21	Electrician	NA	NA			13-01-24	FIT	NA	NA	NA	
81	-	Abhishek A. Ambupe	Male	21	Electrician	NA	NA			13-01-24	FIT	NA	NA	NA	

  
 कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे  
 कोल्हापूर जिल्हाकरिता  
 प्राधिकृत प्रमाणकशल्यचिकित्सक  
 क्र. ACS 15-AM/2016

FORM 7

( See Rule 18 (7) and schedules II,III,IV,VI,VIII,X,XI,XIII,XIV,XV,XVII,XVIII & XX to Rule 114 )  
**SHRI GURUDATT SUGARS LIMITED**  
 ( Health Register )  
 ( In respect of persons employed in occupations declared to be dangerous operations under sections 87 )

**CERTIFYING SURGEON**  
**DR. ARVIND MANE**  
 MBBS DPH AFIH.(MUMBAI)

V.D.P.

From: { 12-01-24 To 11-01-25 }

Serial No.	Works No.	Name of Worker	Sex	Age (Last birth -day)	Dept. of employment of present work	Date of Leaving or Transfer to Other	Reason For Leaving Transfer of Discharge	Nature of Job or Occupation	Raw Material or by Product Handeled	Date of Medical Examination by Certifying Surgeon	Result of Medical Examination	work, state Period of Suspension with Detailed Reasons	Certified fit to resume duty on with signature of certifying surgeon	unfitness or suspection issued to	Signature with Date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
82	-	Shubham R. Manjare	Male	21	Engineering	NA	NA			13-01-24	FIT	NA	NA	NA	
83	-	Vijay D. Patil	Male	33	Sugar Godwan	NA	NA			13-01-24	FIT	NA	NA	NA	
84	-	Vishvajit R. Shivpure	Male	20	WTP	NA	NA			13-01-24	FIT	NA	NA	NA	
85	-	Shital S. Patil	Male	39	WTP	NA	NA			13-01-24	FIT	NA	NA	NA	
86	-	Aadarsh K. Sutar	Male	19	WTP	NA	NA			13-01-24	FIT	NA	NA	NA	
87	-	Unishabh V. Magdum	Male	24	WTP	NA	NA			13-01-24	FIT	NA	NA	NA	

  
 कारखाने अधिनियम १९४८ च्या कलम १०(२) प्रमाणे  
 कोल्हापूर जिल्हाकरिता  
 प्राधिकृत प्रमाणकशल्यचिकित्सक  
 क्र. ACS 15-AM/2016

F. No.J-11011/41/2015-IA-II(I)  
Government of India  
Ministry of Environment, Forest and Climate Change  
IA Division

Indira Paryavaran Bhawan  
Jor bagh Road, New Delhi - 3  
Dated: 7<sup>th</sup> June, 2019

To,

M/s Shri Gurudatt Sugars Ltd,  
Gat No. 61/A, Akiwat Takaliwadi Road,  
Taluka Shirol,  
District **Kolhapur** (Maharashtra)

**Sub: Expansion of sugar & co-generation power plant and setting up molasses based distillery by M/s Shri Gurudatt Sugars Ltd at Gat No.61/A, Taluka Shirol, District Kolhapur (Maharashtra) - Environmental Clearance - reg.**

Sir,

This has reference to your online proposal No.IA/MH/IND2/59911/2014 dated 27<sup>th</sup> January, 2019 for environmental clearance to the above project.

2. The Ministry of Environment, Forest and Climate Change has examined the proposal for environmental clearance to the project for expansion of sugar plant from 6000 to 13000 TCD, co-generation power plant from 21 to 90 MW, and setting up molasses based distillery of 150 KLPD in existing area of 55 acres by M/s Shri Gurudatt Sugars Ltd at Gat No.61/A, Akiwat Takaliwadi Road, Taluka Shirol, District Kolhapur (Maharashtra).

3. The details of existing/proposed products are as under:-

S. No.	Products	Existing	Proposed	Total
1.	Sugar Unit	6000 TCD	7000 TCD	13000 TCD
2.	Co-Generation Unit	21 MW	69 MW	90 MW
3.	Distillery Unit	Nil	150 KLPD	150 KLPD
4.	Refined Sugar	Nil	1755 TPD	1755 TPD

4. Existing land area is 222577 m<sup>2</sup> (55 acres). No additional land shall be required for the proposed expansion. Green belt will be developed in 33% i.e. 73449 sqm out of the total project area. The estimated project cost is Rs.350 Crore. Total capital cost earmarked towards environmental pollution control measures is Rs.19.6 Crore and the recurring cost (O&M) will be about Rs.167.5 Lack per annum. Total Employment will be 300 persons as direct & 500 persons indirect.

5. There are no National Parks, Wildlife Sanctuaries, Biosphere Reserves, Tiger/Elephant Reserves and Wildlife Corridors etc. within 10 km distance from the project site. Krishna River flows at distance of 4 km in the West.

6. Total fresh water requirement of 760 m<sup>3</sup>/day is proposed to be met from Krishna River. Approval in this regard has been obtained from the Chief Engineer, Irrigation Department, Kolhapur (Maharashtra).



Effluent of 1300 m<sup>3</sup>/day from sugar and co-gen unit will be treated through ETP consisting of primary, secondary and tertiary treatment units, followed by Condensate Polishing Unit. The effluent of 1350 m<sup>3</sup>/day from distillery unit will be sent to MEE, and the concentrated spent wash would be fed to incineration boiler. There will be no discharge of treated/untreated waste water from the unit, and thus ensuring Zero Liquid Discharge.

Two multi fuel boilers of 120 TPH capacity each and one Multi fuel boiler of 60 TPH will be installed. Electrostatic Precipitator with a stack of height of 70 m each for 120 TPH capacity boiler and 90 m for 60 TPH boiler will be installed to control the particulate emissions within the statutory limits of 150 mg/Nm<sup>3</sup>.

7. The project/activity is covered under category A of item 5 (g) 'Distilleries', 1(d) 'Thermal Power Plants' and category B of item 5(j) 'Sugar Industry' of the Schedule to the EIA Notification, 2006 and requires consideration at central level in the Ministry.

8. Standard Terms of Reference for the project was granted on 17<sup>th</sup> August, 2017. Public hearing was conducted by the State Pollution Control Board on 5<sup>th</sup> December 2018.

9. The proposal for environmental clearance was considered by the EAC (Industry-2) in its meetings held on 8-9 April, 2019. The project proponent and their consultant presented the EIA/EMP report. The Committee found the EIA/EMP report to be satisfactory, complying with the ToR, and recommended the project for grant of environmental clearance.

10. Based on the proposal submitted by the project proponent and recommendations of the EAC (Industry-2), Ministry of Environment, Forest and Climate Change hereby accords environmental clearance to the project for **expansion of sugar plant from 6000 to 13000 TCD, co-generation power plant from 21 to 90 MW, and setting up molasses based distillery of 150 KLPD** by M/s Shri Gurudatt Sugars Ltd at Gat No.61/A, Akiwat Takaliwadi Road, Taluka Shirol, District Kolhapur (Maharashtra), under the provisions of the EIA Notification, 2006, and the amendments therein, subject to compliance of the terms and conditions as under:-

(a) Prior approval shall be obtained from PESO for site and layout plan of storage facilities (Petroleum storage Class A installation).

(b) Necessary permission as mandated under the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, shall be obtained from the State Pollution Control Board as required.

(c) As already committed by the project proponent, Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises.

(d) Necessary authorization required under the Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016, Solid Waste Management Rules, 2016 shall be obtained and the provisions contained in the Rules shall be strictly adhered to.

(e) To control source and the fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and/or the NAAQS. The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.

(f) Coal less than 0.5% sulphur content shall be used as fuel in boiler.



- (g) Total fresh water requirement shall not exceed 760 cum/day proposed to be met from Krishna River. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard.
- (h) Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm and the solvent transfer through pumps.
- (i) Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed off to the TSDF.
- (j) The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.
- (k) The company shall undertake waste minimization measures as below:-
- (i) Metering and control of quantities of active ingredients to minimize waste.
  - (ii) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes.
  - (iii) Use of automated filling to minimize spillage.
  - (iv) Use of Close Feed system into batch reactors.
  - (v) Venting equipment through vapour recovery system.
  - (vi) Use of high pressure hoses for equipment clearing to reduce wastewater generation.
- (l) The green belt of 5-10 m width shall be developed in more than 33% of the total project area, mainly along the plant periphery, in downward wind direction, and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department.
- (m) All the commitments made regarding issues raised during the public hearing/consultation meeting shall be satisfactorily implemented.
- (n) At least 0.75% of the total project cost shall be allocated for Corporate Environment Responsibility (CER) and item-wise details along with time bound action plan shall be prepared and submitted to the Ministry's Regional Office.
- (o) For the DG sets, emission limits and the stack height shall be in conformity with the extant regulations and the CPCB guidelines. Acoustic enclosure shall be provided to DG set for controlling the noise pollution.
- (p) The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms.
- (q) Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
- (r) There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places.
- (s) Storage of raw materials shall be done either in silos or covered areas to prevent dust pollution and other fugitive emissions.

SKJ

(t) Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.

(u) CO<sub>2</sub> generated from the process shall be bottled/made solid ice and sold to authorized vendors.

(v) There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places.

**10.1** The grant of Environmental Clearance is further subject to compliance of other generic conditions as under:-

(i) The project authorities must strictly adhere to the stipulations made by the state Pollution Control Board (SPCB), State Government and/ or any other statutory authority.

(ii) No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.

(iii) The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations each is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.

(iv) The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16<sup>th</sup> November, 2009 shall be complied with.

(v) The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).

(vi) The Company shall harvest rainwater from the roof tops of the buildings to recharge ground water, and to utilize the same for different industrial operations within the plant.

(vii) Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis.

(viii) The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, risk mitigation measures and public hearing shall be implemented.





(ix) The company shall undertake all measures for improving socio-economic conditions of the surrounding area. CSR activities shall be undertaken by involving local villagers, administration and other stake holders. Also eco-developmental measures shall be undertaken for overall improvement of the environment.

(x) A separate Environmental Management Cell equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.

(xi) The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.

(xii) A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zila Parishad/ Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.


(xiii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.

(xiv) The environmental statement for each financial year ending 31<sup>st</sup> March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional offices of MoEF&CC by e-mail.

(xv) The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at <http://moef.nic.in>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional office of the Ministry.


11. The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.

12. The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Water Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991, read with subsequent amendments therein.

  
7/6/2019  
**(S. K. Srivastava)**  
**Scientist E**

**Copy to: -**

1. The Principal Secretary, Environment Department, Government of Maharashtra, 15<sup>th</sup> Floor, New Administrative Building, Mantralaya, **Mumbai** (Maharashtra) – 32
2. The Additional Principal Chief Conservator of Forests, Regional Office (WCZ), Ministry of Environment, Forest and Climate Change, **Nagpur** (Maharashtra)
3. The Member Secretary, Central Pollution Control Board Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, **Delhi** - 32
4. The Member Secretary, Maharashtra Pollution Control Board, Kalpataru Point, 3<sup>rd</sup> and 4<sup>th</sup> floor, Opp. Cine Planet, Sion Circle, **Mumbai** - 22
5. Monitoring Cell, Ministry of Environment, Forest and Climate Change, Indira Paryavaran Bhawan, Jor Bagh Road, **New Delhi** - 3
6. Guard File/Monitoring File/Record File

  
7/6/2019  
**(S. K. Srivastava)**  
**Scientist E**